



Manual **6**




**KEY BLANKS
DUPLICATING
MACHINES
LOCKSMITHS
SUPPLIES**

Dominion Lock
COMPANY LIMITED
7301 DECARIE BOULEVARD
MONTREAL 9, CANADA

DOMINION LOCK COMPANY LIMITED

Telephone:- DA 1 - 2522



4050 CHARLEROI BLVD.
MONTREAL 39,
CANADA

LOCK AND KEY SUPPLY CO. LTD.

KEY BLANKS AND BUILDER'S HARDWARE DISTRIBUTORS

25, Janvier, 1963.

Ferronnerie Marcel Pelletier
St Bruno Shopping Center,
St Bruno, Quebec.

Monsieur:

Tel que demande notre representant M. Denis Bernier, vous trouverez ci-joint notre catalogue No. 6 de blancs de clefs et ferronnerie.

Esperant etre a votre service bientot, nous demeurons,

Vos tout devoues,
LOCK AND KEY SUPPLY CO LTD

A handwritten signature in blue ink, appearing to read "P. Beaupre".


PB:IC

P. BEAUPRE
Dept de Ventes



KEY BLANKS

Guarantee



CUSTOMER SATISFACTION

Dominion Key Blanks are MADE IN CANADA in a modern plant equipped to meet the highest standards of precision and quality in manufacturing.

Since commencing the manufacture of Key Blanks in Canada, in 1933, we have developed a highly skilled organization trained to maintain these high standards.

The consistent accuracy of D. L. Key Blanks assures the locksmith obtaining a perfect fit on duplication.

It is gratifying and encouraging to note the recognition D.L. Key Blanks now enjoy for superior quality and versatility throughout Canada and many foreign countries where these key blanks are now being used.

Over the years, the range of Key Blanks offered has been increased and added to in order to satisfy the locksmith's requirements completely in an up-to-the-minute manner.

The reputation the D.L. Key Blank line has earned as "Canada's finest" and one of the great Key Blank lines of the world is your GUARANTEE of CUSTOMER SATISFACTION. The D.L. line is more than a line, IT IS A SERVICE.

The locksmith who relies on the D.L. line saves time, eliminates waste, and enhances his reputation for reliability.

Buy D.L. with confidence. Sell D.L. with pride.

SAVE WITH DOMINION

Single Source Service!

Introduction to MANUAL No. 6

Comprising: Key Blanks, Duplicating Machines and Locksmiths' Supplies


This manual has been planned to aid the locksmith in rendering his valuable service to the community. It offers in a form devised for ready reference the widest selection of Dominion Lock Key Blanks ever compiled, as well as a most comprehensive selection of Key duplicating machines, locksmiths' tools, equipment, accessories and findings.

In this edition, the alphabetical and numerical indices have been improved and extended to form a more effective reference. The marginal index on each page, a proven feature, is again used and improved to be even more helpful.


Key Blank assortments have been brought up-to-date — a foreign Key Blank assortment has been added. Other changes include: a showing for the first time of new products such as Keying Kits, additional reference books, a door closer parts list and new sales aids.

The comparative lists and other reference tables, such as the automobile key blank listing, have been brought up to date. Considerable time and expense have been involved in compiling this unique and valuable source of information for the locksmith.

The Dominion line is kept up-to-date by continuous review and additions to keep pace with changes and developments. In presenting this manual to you, we pledge ourselves anew to maintain the high standards of both product and service that are responsible for the recognition our company to-day enjoys.



Alfred Zion
President



How to use this **REFERENCE MANUAL**

The DOMINION LOCK CO. LTD. KEY BLANK MANUAL

is the Locksmith's and Key Cutters hand book. These paragraphs will acquaint you with its variety and scope and also with the unstinted service provided by the makers of DL brand Key Blanks.

THE INDICES :

There are two indices; one lists contents descriptively as "Key Blanks for", "Locksmiths' Supplies" etc.; the other listing is numerical as "L54F or A115". These indices are on pages 5, 6 and 7. Any item is easy to find.

Note the advisability of using the numerical index, when looking up key blanks, as they are not illustrated in numerical order.

KEY BLANK LISTING :

Key blanks are shown according to the make of lock the key blank fits. Key blanks for Dominion Locks are grouped under "Dominion", those for Yale under "Yale", etc. Each key blank grouping is shown in **alphabetical order** according to the original lock makers name.

The alphabetical index lists all lock maker names. With that information only, one can quickly find any blank for a particular make of lock. For finding a particular key blank number quickly, one uses the numerical index as the numbers are not in numerical order in the Manual.

To further facilitate the finding of a particular group, page, or key blank, the names of those groups appearing on a page are shown in the upper outside corner of the page. The page number is shown there as well in special bold type. The indexing on each page is most helpful.

To demonstrate the standard terms by which the trade refer to the parts of a key blank, we describe them here with appropriate illustrations. The terms are defined in the Glossary that appears on Page 4.

READING ILLUSTRATIONS :

Each key blank is painstakingly and accurately hand drawn. The illustration is actual size. All grooves are shown in their proper proportion.

When comparing a key with an illustration, lay it over the illustration to check shape and sizes, particularly of the blade or body and shoulders.

Grooves can be compared for shape by observing their form where the blade joins the head of key blank. The form and curve of the grooves are more pronounced there; their character, size, and spacing more easily determined.

The key section is actually an illustration of the key way. The key would fit it if picked up off the page point down, and tried against the key section illustration.

KEY CUTTING MACHINES, MERCHANDISING UNITS, AND KEY BLANK ASSORTMENTS :

Every type of Key Cutting Machine required by the locksmith is shown in this section. It is the most comprehensive collection of machines ever assembled.

There are machines for simple key cutting; extra machines for the mobile or portable shop; universal machines for all around cutting; automatic machines, and machines for special applications of all kinds. Some of them can be hand or power driven.

Basic assortments of key blanks compiled from years of experience and an intimate knowledge of key blank requirements in Canada, are listed for the convenience of the uninitiated.

The key merchandising unit is a modern and practical piece of equipment for the key cutting trade. Designed for display, it is a great sales promoter. It is built to rigid locksmith standards. It cuts precisely and will last a lifetime.

LOCKSMITH'S SUPPLIES AND ACCESSORIES :

All the essentials are here; cutters, pins, springs, tools, key cases, rings, chains, reference books, sales aids, hardware replacement items and accessories.

Take advantage of our famous **SINGLE SOURCE SERVICE**.

COMPARATIVE LISTS :

These reference tables at the rear of the Manual represent an enormous effort to obtain comparative numbers. To compile these lists, various makes of key blanks were carefully compared and information obtained from world wide sources. This group of DL comparative lists is the most comprehensive of its kind.

THE AUTOMOTIVE CHART

is a handy reference table when information is required on what key to use for which car. It is also useful for checking stock to make certain key blanks for every car are included.

Be prepared. Use Dominion Lock Company **SINGLE SOURCE SERVICE**.

SERVICE → TRADE → PROFITS

HARDWARE, LOCKSETS :

Extend your business quickly and easily by selling Dominion Lock Company Limited :

1. DURALOCKS.
2. GIANT BOLT NIGHT LATCHES.
3. JIMMY PROOF DEADLOCKS.
4. KNOBS AND ACCESSORIES.
5. HYDRAULIC DOOR CLOSERS.

For new installations and replacements; all available quickly and easily through

DOMINION LOCK'S
Single Source Service

GLOSSARY

ARMORED FRONT

An additional front, applied to the regular front of a lock by machine screws, which protects the cylinder set screws so that they cannot be loosened without removing the armored front. The armored front need not be applied until after the door has been painted, thus giving the additional advantage of preserving the finish during painting operations.

AUXILIARY BOLT

An additional bolt which is depressed by the strike when door is closed and automatically deadlocks the latch bolt against end pressure. It does not interfere with the normal operation of the lock.

BACK PLATE (rim cylinder)

A small plate applied to the inside of the door through which the cylinder connecting screws and bar are passed.

BACKSET (of a lock)

A term used in referring to the horizontal distance from the face of the lock to the center line of the cylinder, key hole or knob hub. On locks with beveled fronts this distance is measured from the center of the face. On locks with rabbeted fronts it is measured from the upper step at the center of the lock face. (To avoid possibility of confusion it is better to indicate this as "Backset, long-side — inches.")

BIT KEY LOCK

One operated by a key having a wing bit.

BODY

of a key is the blade or portion extending from the head or bow in which the combination is cut.

BUTT

A contraction of the term Butt Hinge. A hinge designed for application to the butt edge of the door.

CAM (of a cylinder)

A rotating piece attached to the end of the cylinder plug to operate the locking mechanism.

CHANGE KEY

A key which will operate only one lock in a series, as distinguished from a master key which will operate all locks in a series.

CODE KEY

A record of the key change or bitting corresponding to a particular key change number.

CONNECTING BAR

A flat spindle attached to the cylinder of a rim lock to operate the bolt.


CORRUGATED KEY

A key with pressed longitudinal corrugations in its shank to correspond to an irregularly shaped key way.


DRIVERS

The upper set of pins in a pin tumbler cylinder which, activated by the springs, project into the plug until raised by insertion of the key to proper point for unlocking.

FLAT STEEL KEY



BARREL KEY



ESCUTCHEON

A plate, either protective or ornamental, containing openings for any or all of the controlling members of the lock such as knob, handle, cylinder, keyhole, etc.

HAND (of a lock, etc.)

A term used to indicate the adaptability of an article to right or left hand doors.

HANDED (locks, etc.)

A term indicating that the article is designed or assembled for use only on right hand doors, or only on left hand doors, but not both.

HASP

A fastening device consisting of a loop and a slotted hinged plate.

HEAD

of a key is same portion as referred to as bow. It is the part on the end of the blade or body held when turning the key.

HEEL (of a padlock shackle)

The end which is not removable from the case.

HUB

The part of a lock through which a spindle passes (either knob or turn knob) to actuate the mechanism.

KEY CHANGE NUMBER

The recorded code number indicating the key change, usually stamped on key.

LOCK RAIL (of a door)

The horizontal member of a door having two or more panels located at the proper height to receive the lock case.

LOCK STILE (of a door)

The stile to which the lock is applied, as distinguished from the hinged stile.

MASTER KEY

A key with bitting arranged to operate two or more locks of different changes in a group, each lock being also operated by its own individual or change key.

SWIVEL SPINDLE

A spindle having a joint midway in its length to permit the knob at one end to be made rigid by the stop work while the other end is free to operate.


TOE (of a padlock shackle)

The end which separates from the padlock when opened.


UNIVERSAL

A term used to describe a lock, door closer or other device which can be used on doors of either hand, without change.

BIT KEY



CYLINDER KEY



ALPHABETICAL INDEX


| | | | | | |
|----------------------------------|------------|------------------------------|------------------|----------------------------------|--------------|
| Assortments, Key Blank | 52 | Casi | 10 | Toronto | 33 |
| Automobile Key Chart | 88 | Century | 10 | Trama | 33 |
| Back Plates, Cylinder | 62 | Challenger | 10 | Union | 33-34 |
| Bi-Metallic Keys and Blanks | 48 | Cheney Baggage | 46 | Vachette | 34 |
| Bits, Boring | 77 | Chicago | 10-11 | Vaughan | 34-35 |
| Books | 68 | Cisa | 11 | Vega | 35 |
| Boring Bits | 77 | C.K.L.S. Brand | 11 | Viking | 42 |
| Boring Jigs | 77 | Corbin | 11-12-13, 44, 51 | Viro | 35 |
| Brackets, Corner | 70 | D.K.W. | 42 | Volvo | 35 |
| Brackets, Soffit | 70 | Damm | 13 | Wah Tung | 35, 42 |
| Carry Out Key Clippers | 65 | Dexter | 14 | Wally | 35 |
| Chart, Automobile Key | 88 | Dominion Lock Co. | 14-15, 43, 49 | Weiser | 35 |
| Chart, Foreign Vehicle Key | 86-87 | Dubois | 15 | Welch | 35 |
| Codes | 55, 65, 68 | Durand | 43, 45 | Weslock | 36 |
| Code Key Cutting Machines | 55 | Eagle | 15-16, 45, 48 | Welka | 36 |
| Comparative Lists | 79-85 | Earle | 16 | Wilka | 36 |
| Connecting Bars | 73 | Elgin | 16 | Willy's Jeep | 36 |
| Connecting Screws | 73 | Era (J. R. Reynolds) | 16 | Windsor Brand | 21 |
| Corner Brackets | 70 | Etas | 16 | Witte | 36 |
| Cutters, Key Machine | 59 | Everlasting | 47 | Wolf Brand | 36, 42 |
| Cylinders, Replacement | 73 | Excel | 16 | Yale | 36-45, 49-51 |
| Cylinder Back Plates | 62 | Excelsior | 47 | Ymos | 41-42 |
| Cylinder Key Blanks | 8-42 | FAB (Skoda) | 16 | Zeiss-Ikon | 42 |
| Cylinder Lock Taps | 59 | FAC (Mexico) | 16 | Zeni | 42 |
| Cylinder Pins | 62 | Fist | 17 | Zenith | 42 |
| Cylinder Rings | 73 | Fort Lock Co. | 17 | Latches, Replacement | 74 |
| Deadlocks, Jimmy Proof | 75 | C. H. Gabon | 17 | Later Additions, Key Blanks | 42 |
| Decoders, Pin Tumbler | 65 | G.M. Europe | 17 | Lock Aid Guns | 64 |
| Demonstrators, Mounted Sample | 69, 76-78 | H.F.L. | 17 | Lock Cylinders, Replacement | 73 |
| Depth Keys | 66 | Hollymade | 17 | Lock Picks | 64 |
| Disc Tumblers (see Wafer) | | Huf | 17-18 | Locksets, "DURALOCK" | 76 |
| Display Boards, Key Blank | 53-54 | Hurd | 19-20 | Locksets, "IDEAL" | 78 |
| Door Closers | 70 | Ilco (Independent Lock Co.) | 20-21 | Locksets, "RESIDENT" | 77 |
| Door Closer Parts | 71 | Illinois | 21 | Locks, Mortise | 74 |
| Door Closer Service Tools | 71 | Insa | 21 | Malleable Iron Bit Keys & Blanks | 49-51 |
| Door Closer Springs | 70 | Jowil | 21 | Mallets | 67 |
| Door Knobs | 72 | Junkunc Padlocks | 21 | Master Keys | 66 |
| Duplicators, Key | 55-58 | Kamsing | 21 | Modernization Kits | 76 |
| "DURALOCK" Locksets | 76 | Kawneer | 21 | Mortise Cylinders | 73 |
| Emblem Keys | 61 | Keil | 21, 45 | Mortise Locks | 74 |
| Escutcheons, Replacement | 72 | Kenrick | 21 | Mortisers, Boring | 77 |
| Flat Nickel Silver Key Blanks | 43 | Keiper | 21 | Mounts, Sample Display | 69, 76-78 |
| Flat Steel Key Blanks | 43-46 | Kiferm | 22 | Night Latches | 75 |
| Following Tools | 67 | Kwikset | 22 | Padlocks | 75 |
| Foreign Vehicle Key Chart | 86-87 | Legge | 22 | Parts, Door Closer | 71 |
| Graphite | 67 | Lion | 22 | Picks | 64 |
| Hand Stamping Dies | 67 | Lips | 22-23 | Pin Tumbler Cylinder Springs | 62 |
| "IDEAL" Inside Locksets | 78 | Lockwood | 24 | Pin Tumbler Decoders | 65 |
| Initial Key Chains | 61 | Lyons | 43, 45 | Pin Tumbler Keying Kits | 63 |
| Inside Locksets | 78 | Magneti-Marelli | 24 | Plug Holders | 67 |
| Jimmy Proof Deadlocks | 75 | Master | 24, 45 | Plug Retainers | 62 |
| Jigs, Boring | 77 | Metal Rousseau | 24 | Plug Screws | 62 |
| Key Blanks, Bi-Metallic Bit | 48 | Narragansett | 43 | Plug Slides | 62 |
| Key Blanks, Cylinder | 8-42 | National of Ozone Park, N.Y. | 24 | Punch Guides | 67 |
| Key Blanks, Flat Nickel Silver | 43 | National of Rockford, Ill. | 24 | Rawhide Mallets | 67 |
| Key Blanks, Flat Steel | 43-46 | Neiman | 25 | Reference Books | 68 |
| Key Blanks, Malleable Iron | 49-51 | Neumann | 47 | REPLACEMENT Latches | 74 |
| Key Blanks, Trunk & Suitcase | 46-48 | Penh | 25 | REPLACEMENT Locks | 74 |
| Key Blank Assortments | 52 | Peterboro | 25-26, 45, 49-50 | REPLACEMENT Roses | 72 |
| Key Blank Display Boards | 53-54 | Porsche | 26 | REPLACEMENT Spindles | 72 |
| Key Cases | 60 | Porsche-Lloyd | 26 | REPLACEMENT Strikes | 63 |
| Key Chains | 60 | Presto | 26, 47 | "RESIDENT" Locksets | 77 |
| Key Clippers, Code | 65 | Rabbit Brand | 35, 42 | Retainers, Cylinder | 62 |
| Key Cutting Machines | 55-58 | Reading | 26 | Rim Latches | 75 |
| Key Machine Cutters | 59 | Regal | 26 | Rings, Cylinder | 73 |
| Key Merchandising Units | 58 | Ronis | 26, 42 | Roses, Replacement | 72 |
| Key Rings | 60 | Russwin | 27 | Rotary Files | 59 |
| Key Scrapers | 59 | Safe (Italy) | 27 | Scrapers, Key | 59 |
| Key Tags | 60 | Safety Deposit Box Locks | 43 | Screws, Plug Retainer | 62 |
| Keying Kits | 63 | Sager | 27 | Shims | 63 |
| Keys, Emblem | 61 | Sargent | 27-28 | Signs, Locksmiths Hanging | 69 |
| Keys for Foreign Vehicles, Chart | 86-87 | Sargent & Greenleaf | 43 | Signs, Decalcomania | 69 |
| Keys, Depth | 66 | Schlage | 29 | Slides, Cylinder | 62 |
| Keys, Master | 66 | C. E. Schultz | 30 | Slotters, Key Duplicator | 59 |
| Knobs, Replacement | 72 | Segal | 30 | Soffit Brackets | 70 |
| Key Blanks for following locks: | | Seims-Romans | 30 | Spindles, Replacement | 72 |
| Ace | 42 | Shaw | 30 | Springs, Door Closer | 70 |
| Acorn | 8 | Simeca | 30 | Springs, Pin Tumbler Cylinder | 62 |
| Arrow | 8 | Sipea | 30-31 | Stamping Dies, Hand | 67 |
| Assa (August Stenman) | 8, 42 | Skillman | 31 | Steel Stamps | 67 |
| B. & G. | 8 | Skoda | 42 | Strike Adjusters | 63 |
| Belleville | 8, 51 | Slaymaker | 31-32 | Strikes, Replacement | 63 |
| Best | 9 | Spom | 42 | Tags, Key | 60 |
| Bird Brand | 9 | Springer | 32 | Tools, Door Closer | 71 |
| B.K.S. | 9 | Squire | 32 | Trunk & Suitcase Keys | 46-48 |
| Bomoro | 9 | Stronis | 32 | Tumblers, Pin and Disc | 62 |
| Brevetto (P.M. Italy) | 9 | Taco | 32 | Wafer Tumblers | 62 |
| Briggs & Stratton | 9-10 | Taylor | 32-33 | Wafer Tumbler Keying Kits | 63 |
| Canadian Builders | 10 | Tegco | 33 | | |

SUPPLEMENT "A" TO MANUAL No. 6




41X

FOR AMERICAN




61JD

FOR ANTAR



H61V




R61W

FOR ASSA




SR61W

1A
DL
 AMERICAN
 ANTAR
 ASSA
 BASTA
 BOMORO
 BRIGGS &
 STRATTON
 C.P.I
 CENTURY
 CHICAGO




9BA

FOR BASTA




HR62VG

FOR BOMORO



H98XL

FOR BRIGGS & STRATTON




N98XL



L62CS

FOR C.P.I.



R62CA

FOR CENTURY



41A



41AB




41AC



41AD



41AM



41DC

FOR CHICAGO


2A



CHICAGO
CITY
CLINTON
CORBIN
DOM
DOMINION
DUBOIS
EVVA
GEGE
HONDA



41DV




41F



41J




41T



67S

FOR CHICAGO

FOR CITY




67B




67C



S67B




UOOFR



64E



S64D




C54F

FOR CLINTON

FOR CORBIN

FOR DOMINION



H64K



HR64K



62EV



R62EV



62GE



67H

FOR DUBOIS

FOR EVVA


FOR GEGE

FOR HONDA







3A







HONDA
HUF
HUTRA
IDEAL



FOR HONDA (MOTORCYCLES)



FOR HUF



FOR HUF


FOR HUTRA

FOR IDEAL

4A



JOWIL
KIFERM
LIPS
LITTO
LUDELL
METAL ROUSSEAU
NATIONAL
NEIMAN
OPEL



R62X



63H



LR63G





N63G



NR63G

FOR JOWIL

FOR KIFERM



R63H

64X

64Y

A62QN

S62QD

9ET






62BL

FOR KIFERM

FOR LIPS

FOR LITTO

FOR LUDELL



H64S

L64A

M69G

HR61NA

H63M

R63Q

62VP

FOR METAL
ROUSSEAU

FOR NATIONAL


FOR NEIMAN

FOR OPEL


5A




PREFER
PRESTO
RIQUIER
RONIS
SAMSONITE
SARGENT
SKODA




9P



9PT



R9P




S9P




62PR

FOR PREFER

FOR PRESTO



9K



R9K




65Y



R65Y



7DC



R7DC

FOR RIQUIER


FOR RONIS





R62UC



S69



U07LA SER.



10N



65CB

FOR RONIS

FOR SAMSONITE

FOR SARGENT

FOR SKODA

6A




**TESA
UNION
VACHETTE
VEGA
VIRO**



64T



R64T



B33N



SR33N




62DR

FOR TESA


FOR UNION



62FD



B62DP




M62DP



R62DG



R62DM




S62DR

FOR UNION



7DE




L61JD




62KA



62KD



S61V



LR191A

FOR VACHETTE

FOR VEGA

FOR VIRO

7A



VIRO
YALE
ZEISS-IKON




R191




R191B




R191C



7EH



U7K



8LA SER.


- 8LA
- 8LB
- 8LC
- 8LD
- 8LE
- 8LF
- 8LG
- 8LH
- 8LK




U62JB



U122BR




60HA



60HB


FOR YALE



60HR



60UA



60UF



60UG



60Z3



60Z7

FOR ZEISS-IKON

FOR ZEISS-IKON

8A



ZEISS-IKON


ZENITH

CHENEY


EAGLE




60ZD




R60HR




R60ZD



S61



S61R



LR62K

FOR ZEISS-IKON

TRUNK AND SUITCASE KEYS




C31



C33



C34



C35



C37




SF61




C350

FOR CHENEY


FLAT STEEL KEY BLANKS



2306



2712




2714

FOR EAGLE



**ACORN
ARROW
ASSA
B & G LOCKS
BELLEVILLE**



—
A54B




—
22W



—
755U



—
61T



—
61W

FOR ACORN

FOR ARROW

FOR ASSA



—
R61T




—
S61W



—
62DV



—
S62DV



—
36




—
36A


FOR ASSA

FOR B. & G. LOCKS


FOR BELLEVILLE




—
36F




—
36G



—
36S



—
36SF



—
36U



—
L36U

FOR BELLEVILLE



BEST
BIRD

(SEE K/B No. 9)

B.K.S.

BOMORO


BREVETTO

BRIGGS &


STRATTON




114A




114B



114C




114D




114E

FOR BEST



114M



9E




B9E




H62VG



63F



X63



65M

FOR BEST

FOR B.K.S.

FOR BOMORO




61B




62B



62BA




R62B



R62BA



98




98DB

FOR BREVETTO (P.M. ITALY)


FOR BRIGGS & STRATTON

10

DL
BRIGGS &
STRATTON
CDN. BLDERS
CASI
CENTURY
CHALLENGER
(SEE HOLLYMADE)
CHICAGO




FOR BRIGGS & STRATTON



FOR CANADIAN
BUILDERS

FOR CASI

FOR BRIGGS & STRATTON



FOR CASI

FOR CENTURY

FOR CHICAGO




CHICAGO

CISA

CKLS


(SEE CISA & VIRO)

CORBIN




FOR CHICAGO

FOR CISA



FOR CISA

FOR CORBIN



OOF

OOFR

OOFX

OOG

OOH


OOT

OOV


FOR CORBIN




CORBIN



FOR CORBIN



FOR CORBIN




FOR CORBIN




**CORBIN
OMER
DESERRES
(SEE EARLE)**


DAMM




01JL




01JR



01MA




A01MA




A01MF


FOR CORBIN




RO1EE




RO1EF



RO1EG



RO1EL




RO1EN
ALSO SKILLMAN




RO1EN


FOR CORBIN




02



02A




02B




03



27



70



70R

FOR POST OFFICE BOX LOCKS

FOR CORBIN


FOR DAMM



**DEXTER
DOMINION**



—
54KD
—




—
L54KD
—



—
D98BM
—




—
D98E
—




—
D98X
—

FOR DEXTER




—
22PO
—



—
54KP
—




—
P54F
—



—
54LB
—



—
A54F
—



—
D54F
—



—
H54F
—


FOR

DOMINION POST OFFICE BOX LOCKS

FOR DOMINION




—
L54B
—




—
L54F
—




—
L54F
—



—
L54K
—



—
S54F
—



—
99
—

FOR DOMINION



**DOMINION
DUBOIS
EAGLE**



750




755



760



765



62BZ

FOR DOMINION



R62BZ



P64H



P64K



P65A



P65B



P65C



P65D


FOR DUBOIS




13




13F




14



14D



14DA



14DB

FOR EAGLE

16



EAGLE

EARLE

ELGIN

ERA


(J. R. REYNOLDS)

ETAS


EXCEL

FAB (SKODA)

FAC (MEXICO)




14DR



14DX



14J




14K




14T

FOR EAGLE




A14DR




U14T




119



96
(ALSO LION)



96L




9RY
FOR ERA
(J. R. REYNOLDS)

FOR EAGLE

FOR EARLE

FOR ELGIN




62C




62L




62XL



65CA



F65



9FAC
FAC (MEXICO)

FOR ETAS

FOR EXCEL

FOR FAB (SKODA)



FIST

FORT LOCK

C. H. GABON


G. M. EUROPE

H.F.L.


HOLLYMADE &

CHALLENGER


HUF



61J




Y62



YR62



54G




62K

FOR FIST

FOR FORT LOCK

FOR C. H. GABON



R98LA

FOR
G. M. EUROPE

62



62A



A62A



A62L



170



170C

FOR H.F.L.

FOR HOLLYMADE & CHALLENGER




170CL

FOR HOLLYMADE & CHALLENGER



170D



62PE



62VA



62VB



62VC



62VG

FOR HUF



HUF



62VN



A62VC



H62VB




R62VB




R62VN


FOR HUF




U62VB



U62VN



W62VB



W62VE




63K



63W

FOR HUF



63Y




M63E



R63K



R63W



R63Y




U63H


FOR HUF



HURD



125



125C



125CN



125CR




125E




125G

(FOR WILLYS JEEP)


FOR HURD




125H




125K



125M




127



127A




127B




127C

FOR HURD



127D



127DP




127E



127ES




127F



127H



127J



127K

FOR HURD


20



HURD

ILCO

(INDEPENDENT
LOCK CO.)



127KS

127L


127LS

127M

127MP

127N

FOR HURD



127NS

127P

127PP

127T


127TP

M127

M127A

MASTERS FOR 127 SERIES

FOR HURD



53

X53

54

54F

54K

H54B

ALSO TORONTO

FOR ILCO



ILCO
(INDEPENDENT LOCK CO.)

ILLINOIS

INSA

JOWIL

JUNKUNC PADLOCKS

KAMSING


KAWNEER

(SEE DOMINION,
LOCKWOOD, YALE)


KEIL

KENRICK

KEIPER



X54F



X54K



41B



41H




41W

FOR ILCO

FOR ILLINOIS




41WA




42B




62SA



H62SA



62JT



62X



41C

FOR ILLINOIS

FOR INSA

FOR JOWIL

FOR JUNKUNC
PADLOCKS




62KC
FOR
KAMSING PRESTO
WINDSOR WOLF



79




79AB




79B



62E



62F



64K

FOR KEIL


FOR KENRICK

FOR KEIPER

22




KIFERM
KWIKSET
LEGGE
LIPS



63G




H63G



R63G



64R




176

FOR KIFERM


FOR KWIKSET



176D




H176



62LG




62P



62Q



62QA




62QB


FOR KWIKSET

FOR LEGGE


FOR LIPS




62QD



62QN



62QS



62QT



A62P



AR62P



B62Q


FOR LIPS



LIPS



B62QB



B62QR



BR62QA



BR62QB



H62QN

FOR LIPS



H62QS



H62QT



HR62QN




HR62QS



HR62QT



L62QT




LR62QT


FOR LIPS




R62P




R62Q



R62QA



R62QB



S62QA



SR62QA

FOR LIPS

24



LION
(SEE ELGIN)

LOCKWOOD






MAGNETI-MARELLI

MASTER

METAL ROUSSEAU

NATIONAL HARDWARE

NATIONAL ROCKFORD



O4

(ALSO KAWNEER)



O4A



O4N




UO4



K54S

FOR LOCKWOOD



DR61F



92



92B



92V



92VM



H64





M64

FOR
MAGNETI-MARELLI

FOR MASTER

FOR METAL ROUSSEAU



177



64A



R64D



69



69C



69G



M69C

FOR NATIONAL
OF
OZONE PARK, N.Y.

FOR NATIONAL OF ROCKFORD, ILL.



NEIMAN
PENN
PETERBORO



61N



61NA



61NC



H61NA




H61VM



H61VO


FOR NEIMAN



R61NA




63JA



63M




63Q



65J




65K



H199N


FOR NEIMAN




16



16N



16NB



34



34A



34H

FOR PENN

FOR PETERBORO

26




PETERBORO
PORSCHE
PORSCHE-LLOYD

PRESTO
(SEE KEY BLANKS
NOS. 9 AND 62KC)


READING
REGAL
RONIS




34N



72



63B



S63B




63


FOR PETERBORO

FOR PORSCHE


FOR
PORSCHE-LLOYD




19



19A



19D



19R



62RE



61P



R61P

FOR READING

FOR REGAL

FOR RONIS



61PC



62R



62RS



62U



62Z



R62Z



63P


FOR RONIS



**RUSSWIN
SAFE
(ITALY)
SAGER
SARGENT**



X00KC




11



11M




11P




11-04A


FOR RUSSWIN




11-04AS




A11P




12




61G



61GA




L61G



LR61G

FOR RUSSWIN


FOR SAFE (ITALY)



R61G




47CR




07




07A



07G



07KMA



07KMB


FOR SAFE
(ITALY)

FOR SAGER

FOR SARGENT




SARGENT




07LA SER.

07RA SER.


FOR SARGENT




07RMA


07RMB



U07LA



08



08A



09

FOR SARGENT




09A


U09


10


10A


U10


U10A

FOR SARGENT



SCHLAGE

MASTER KEY SYSTEM

145
 145E
 145F
 145G → 145H
 145J
 145K → 145L

145

145A

145E

145F

145G


FOR SCHLAGE



145H




145J



145K



145L
MASTER FOR
145 – 145K




A145E




A145F

FOR SCHLAGE



A145G



A145H



A145J




A145K



A145L
MASTER FOR

145A, A145E – A145K



707A

FOR SCHLAGE


30



C. E. SCHULTZ
SEGAL
SEIMS-ROMANS
SHAW
SIMECA
SIPERA




62US




L62US



22



22




22L

FOR C. E. SCHULTZ



U22



U22A




V61



V61S



62SH



62Y

FOR OLD AND NEW SEGAL




62ME




R62ME




61D



61E



61F



R61D

FOR SIMECA

FOR SIPEA



Sipea


Skillman
(See Corbin)


Slaymaker



R61E


63ST


R63ST


73DF


73DG

FOR Sipea

FOR Slaymaker



S73DE


S73DF


S73DG


74C



74D


74E

FOR Slaymaker



74F


74G


74N


A74E


A74F


A74G

FOR Slaymaker

32



SLAYMAKER
SPRINGER
SQUIRE
STRONIS
TACO
TAYLOR



120D



120F



120G




120H




50

FOR SLAYMAKER

FOR SPRINGER



50A



50AR



192



192B



61SA



61SB




61SC


FOR SPRINGER

FOR SQUIRE


FOR STRONIS



62TA



62TC



H122M



141



141E



141GE

FOR TACO

FOR TAYLOR

33





TAYLOR

TEGCO

TORONTO
(SEE ILCO)




TRAMA
UNION



FOR TAYLOR


FOR TEGCO

FOR TRAMA



FOR TRAMA

FOR UNION



FOR UNION



UNION
VACHETTE
VAUGHAN



62DF



62DG




62DH



62DK



62DM



62DN


FOR UNION



62DO



62DP



62DT



H62DP



M62D




R62DH



S62DP

MASTER BLANK

FOR UNION



62KB



26



26 1/2



62H



62J



62JA

FOR VACHETTE

FOR H. T. VAUGHAN



VAUGHAN

VEGA

VIRO

VOLVO


WAHTUNG

(RABBIT BRAND)


WALLY

WEISER

WELCH




62M



62MA



62MS



R62HL




61V

FOR H. T. VAUGHAN

FOR VEGA



191



191A



191B



191C



L191A



M63B

FOR VIRO

FOR VOLVO




FOOV

FOR WAHTUNG
(RABBIT BRAND)


61Y



R61Y



H54WA



X54WA



123

FOR WALLY

FOR WEISER


FOR WELCH



WESLOCK
 WELKA
 WILKA
 WILLYS JEEP
 (SEE HURD)
 WITTE
 WOLF
 (SEE KAMSING)
 YALE



175




H175



61K



R61K



9W

FOR WESLOCK

FOR WELKA


FOR WILKA




62VE




62VO




1



2



4ARM




4M




5M

FOR WITTE


FOR YALE



6M



7



7A



7B



7D



7DA




7DB


FOR YALE




YALE




7E



7EB



7ER



7F



7G



7GR


FOR YALE




7GX




7GXR




7K




7X



J7M



J7MR




R7DA


FOR YALE




U7A




U7E




U7ER



8



8A



8GA to GK


- | | |
|--|-----|
| | 8GA |
| | 8GB |
| | 8GC |
| | 8GD |
| | 8GE |
| | 8GF |
| | 8GG |
| | 8GH |
| | 8GK |


FOR YALE



YALE




8R


8S


D8GA to GK




D8GA
D8GB
D8GC
D8GD
D8GE
D8GF
D8GG
D8GH
D8GK





9


FOR YALE




9A


9B


9C


9CA


9CR


9R

FOR YALE




9GA to GK

9GA
9GB
9GC
9GD
9GE
9GF
9GG
9GH
9GK



9LA TO LK

9LA
9LB
9LC
9LD
9LE
9LF
9LG
9LH
9LK



9RA


C9


FOR YALE



YALE




X9




X9A



X9R



62HA




62HB





62JB


FOR YALE



F122A


F122AR


H122AL


H122ALR



H122AR



H122F


H122FR


FOR YALE



K122AR


L122A


L122AR


U122


U122A


U122AR


U122B

FOR YALE




YALE




U122BM


U122BR



U122R



132



199AR



199B


FOR YALE





199D


199DR


H199



H199A



H199AR



H199B



U199


FOR YALE





U199A


U199AR


U199B


X199A


X199AR



X199B


X199F
OBSOLETE
USE X199G


FOR YALE




**YALE
YMOS**




X199G




X199J




XU199A



XU199AR




XU199B




XU199F
OBSOLETE
USE XU199G

FOR YALE



XU199G



701G



702K



703K



704K




N704K




705K


FOR YALE




706K




707K



759L




U759L



62VJ



62VM



L62VJ


FOR YALE

FOR YMOS


42




YMOS
ZEISS-IKON
ZENI
ZENITH




63E



MR63E




R63E



61Z



62N



L62K


FOR YMOS

FOR ZEISS-IKON


FOR ZENI

FOR ZENITH

LATER ADDITIONS




66A




66B



137



138




139



O1S
FOR RABBIT
WAH-TUNG
LOCK MFG.



A61T



AR61T




9T



62UC



33K



R62PE

FOR ASSA


FOR YALE

FOR RONIS


FOR WOLF

FOR D.K.W.


FLAT NICKEL SILVER KEY BLANKS




28DC(.050)
.375



28DS(.050)
.375



28DY(.050)
.375




31(.040)
.285




**FLAT NICKEL
SILVER**
SAFETY DEPOSIT BOX
LOCKER
LYONS • DURAND
NARRAGANSETT • YALE
SARGENT & GREENLEAF


FLAT STEEL
DOMINION AND OTHERS




33A(.060)
.300




37D(.060)
.335




63D(.070)




94(.040)



703S(.060)
.300




318ST




355ST

NICKEL PLATED FLAT STEEL KEY BLANKS



606A (.050)
606AH (.060)
Width: .365



606L (.050)
606LH (.060)
Width: .295

FOR DOMINION



YALE
CORBIN
AND OTHERS



"FreCut"

The registered "FreCut" trade mark and symbol identify a new steel alloy developed by Dominion Lock Co. Ltd. for key blanks.


Key Blanks bearing the "FreCut" mark are made of a new steel having unusually free cutting properties. Dominion Lock Co. Ltd. is introducing this incomparable material for the manufacture of flat steel and bi-metallic key blanks. "FreCut" provides properties of steel never before combined for this use.

- "FreCut" combines the low cost and strength of steel with new, free machining qualities.
- "FreCut" is cut more easily, saves the Locksmith's time.
- "FreCut" greatly lengthens the cutting life of slotters.
- "FreCut" improves cutting accuracy; avoids heavy burrs.

The introduction of key blanks made of "FreCut" steel alloy is one of the greatest improvements in steel key blank technology.


Progressive locksmiths everywhere are taking full advantage of this better and more economical product.

NICKEL PLATED FLAT STEEL KEY BLANKS



610 (.060)


.350



610B (.060)















610BL (.050)

.350



611 (.060)

.300


611B (.050)
.250U611B (.050)
.265615 (.040)
.250615A (.040)
.250615B (.040)
.250U615 (.050)
.290616 (.050)
.480617GL (.050)
.285617J (.050)
.316617JL (.050)
.320618 (.050)
.330621A (.060)
621AL (.050)
.310623S (.050)
.340U623 (.060)
U623L (.050)
.335

NICKEL PLATED FLAT STEEL KEY BLANKS

45




DURAND
EAGLE
KEIL
LYONS
MASTER
PETERBORO
YALE
AND OTHERS




624 (.050)
624F (.060)
624L (.040)
.300



625 (.040)
.250




625A (.050)
.270




625C (.040)
625CH (.060)
.270



625D (.040)
625DH (.060)
.275




625E (.040)
625EH (.060)
Width: .305




625G (.050)
.300




625K
.285



625PL (.040)
.265





S 625P (.050)
.265



633M
(.050)
633MH
(.070)


636A
(.050)
Width:
.360




639 (.040)
.285




642 (.070)
642L (.060)
.300




671 (.050)




672 (.050)
.365



686B



686C




686E




DURAND
EAGLE
LYONS
MASTER
PETERBORO
YALE
AND OTHERS
BAGGAGE KEYS
CHENEY


NICKEL PLATED FLAT STEEL KEY BLANKS




N686R



R686B



R686E




687W




687X




687Y




697




703 (.060)
Width: .300




770 (.060)
.295




812 (.060)
.300



817 (.050)
.260



8418N (.070)
.350




8846N


TRUNK AND SUITCASE KEYS




C4




C10




C11




C14



C16



C30



C32




SF60



SF78

TRUNK AND SUITCASE KEYS



T 35 to T 37



528



546



816



816A

47
DL
 EVERLASTING
 EXCELSIOR
 NEUMANN
 PRESTO
 TRUNK &
 SUITCASE
MASTER KEYS

FOR EVERLASTING


TRUNK & SUITCASE

MASTER KEYS


FOR SUITCASE LOCKS




951




951R




953




954



970



972



973


FOR PRESTO

FOR SUITCASE LOCKS


FOR NEUMANN



5951 to 5953




5985



5986



Complete Series Carried
 5987 to 5989




5995

FOR EXCELSIOR




EAGLE


TRUNK AND SUITCASE KEYS




T44



8446




8446F




8446R

FOR EAGLE


BI-METALLIC BIT KEYS AND BLANKS




B2M




B5A




B7M




B9



B17




B19



B71

| | | | | | | | |
|-------------------|-----------|----------|-----------|-----------|----------|----------|-----------|
| Post (Gauge No.)* | 14 | 9 | 14 | 14 | 14 | 6 | 9 |
| Neck | 3/32 in. | 3/32 in. | 3/32 in. | 3/32 in. | 3/32 in. | 1/16 in. | 1/16 in. |
| Bit Height | 3/8 in. | 1/2 in. | 3/8 in. | 1/2 in. | 1/2 in. | 5/8 in. | 15/32 in. |
| Bit Width | 13/32 in. | 1/2 in. | 13/32 in. | 17/32 in. | 1/2 in. | 1/2 in. | 7/16 in. |
| Bit Thickness | .072 | .093 in. | .072 | .082 in. | .072 in. | .093 in. | .072 in. |

MALLEABLE IRON BIT KEYS AND BLANKS

**DI TO D4**

Post (Gauge No.)*

Neck

Bit Height

Bit Width

Bit Thickness

2M

.175
3/32 in.
13/32 in.
13/32 in.
5/64 in.

3M


.193
1/8 in.
7/16 in.
3/8 in.
1/16 in.

3AM

.205
1/8 in.
1/2 in.
7/16 in.
7/64 in.

S4BM

9
3/32 in.
7/16 in.
15/32 in.
.095 in.

**S5M**

9
1/8 in.
7/16 in.
15/32 in.
.082 in.

7M

.175
3/32 in.
13/32 in.
13/32 in.
5/64 in.

9M

13
3/32 in.
17/32 in.
9/16 in.
.082 in.

11AM

17/64 in.
3/32 in.
9/16 in.
3/4 in.
3/32 in.

14AM

18
1/8 in.
1/2 in.
5/8 in.
9/64 in.

14BM

15
1/8 in.
7/16 in.
3/8 in.
9/64 in.

14CM

16
1/8 in.
7/16 in.
7/16 in.
5/32 in.




**DOMINION
PETERBORO
YALE
AND OTHERS**

50




PETERBORO
YALE
AND OTHERS
DRAWER &
CABINET
LOCK KEYS

MALLEABLE IRON BIT KEYS AND BLANKS




17M

| | |
|-------------------|----------|
| Post (Gauge No.)* | 12 |
| Hole (Gauge No.)* | 3/32 in. |
| Bit Height | 1/2 in. |
| Bit Width | 1/2 in. |
| Bit Thickness | 5/64 in. |




18M

| | |
|-------------------|----------|
| Post (Gauge No.)* | 15 |
| Hole (Gauge No.)* | 3/32 in. |
| Bit Height | 7/16 in. |
| Bit Width | 1/2 in. |
| Bit Thickness | 9/64 in. |



22M

| | |
|-------------------|----------|
| Post (Gauge No.)* | 1 |
| Hole (Gauge No.)* | 28 |
| Bit Height | 9/32 in. |
| Bit Width | 1/4 in. |
| Bit Thickness | 7/64 in. |




23M

| | |
|-------------------|-----------|
| Post (Gauge No.)* | 3 |
| Hole (Gauge No.)* | 28 |
| Bit Height | 17/64 in. |
| Bit Width | 9/32 in. |
| Bit Thickness | 7/64 in. |




24M

| | |
|-------------------|-----------|
| Post (Gauge No.)* | 6 |
| Hole (Gauge No.)* | 28 |
| Bit Height | 7/32 in. |
| Bit Width | 13/64 in. |
| Bit Thickness | 3/32 in. |




28AM

| |
|---------------|
| 15/64 in. |
| Neck 5/32 in. |
| 15/32 in. |
| 5/8 in. |
| 5/32 in. |




28BM

| |
|-----------|
| .195 |
| 5/32 in. |
| 13/32 in. |
| 13/32 in. |
| 7/64 in. |




34M

| |
|-----------|
| 9 |
| 28 |
| 3/8 in. |
| 11/32 in. |
| 3/32 in. |




49M

| |
|-----------|
| .165 |
| 1/16 in. |
| 13/32 in. |
| 3/8 in. |
| 5/64 in. |



53M

| |
|--------------|
| 8 |
| Neck 1/8 in. |
| 13/32 in. |
| 19/32 in. |
| 3/32 in. |




553M


| |
|----------|
| 9 |
| 3/32 in. |
| 7/16 in. |
| 1/2 in. |
| 5/32 in. |




BELLEVILLE
CORBIN
YALE
TRUNK &
SUITCASE LOCK
KEYS AND
BLANKS

**54M**


1
5/32 in.
7/16 in.
5/8 in.
5/32 in.

**66M**


16
3/32 in.
9/16 in.
1/2 in.
5/64 in.

**67M**


3
3/32 in.
5/8 in.
9/16 in.
3/32 in.

**68M**


14
1/8 in.
15/32 in.
9/16 in.
3/32 in.

**73M**


12
Hole (Gauge No.) 3/32 in.
13/32 in.
7/16 in.
1/16 in.

**1500A**


4
28
3/16 in.
9/16 in.
3/32 in.

**1500B**

4
28
3/16 in.
1/4 in.
3/32 in.

**1512**

2
3/4 in. Overall
3/8 in.
.080

**P-1 to P12**



KEY
BLANK
ASSORTMENTS

For the convenience of those engaged in the making of keys, we have compiled four standard key assortments which may be ordered by number. The keys in each assortment have been carefully selected, on the basis of wide experience, as the most generally in demand throughout Canada.

ASSORTMENTS
DO NOT INCLUDE
DISPLAY BOARDS.
See Pages 53 and 54
for Key Display
Boards.

Please note: These Key Blank Assortments are under continual review, and are frequently altered to include new numbers for which there

is growing demand. Each Assortment is shipped with a tally sheet listing the numbers and quantity of each supplied, which may vary from the listings shown here.

No. 1KBA — KEY BLANK ASSORTMENT
102 numbers, $\frac{1}{2}$ doz. each (except more popular numbers - 1 doz. each)
Cylinder, Steel and Bit Key Blanks.

| | | | | | | | |
|-------|-------|------|-------|-------|--------|--------|-------|
| P1-12 | O1EN | U14T | 54F | 64A | U122 | 192 | 625E |
| 2M | RO1EF | 17M | 54LB | M64 | U122A | 192B | 636A |
| B5A | RO1EN | 18M | L54B | 69 | U122AR | X199G | 642L |
| 6M | O4 | 22 | L54F | 72 | 125K | X199J | 686B |
| 7M | O4N | 24M | L54KD | 79 | 125M | XU199G | R686B |
| U7E | O7 | 27 | S54F | 79B | M127 | 610 | 703 |
| 8 | O8 | 33 | X54WA | 92 | M127A | 615A | 703K |
| 9 | O9 | 33N | 62CA | 92B | 141L | 621AL | 707A |
| OOT | 10 | 34 | 62DG | 98M | 145 | 624 | 759L |
| OOV | U10 | 34H | W62VB | 98XL | 145A | 625 | 817 |
| UOOGX | 11 | 36 | W62VE | H98LA | 170D | 625A | 951 |
| XOOKC | 11P | 36S | 62DH | H98M | H175 | 625C | 951R |
| O1EB | 14 | 36U | S62DP | U98LA | 176D | 625DH | |

No. 2KBA — KEY BLANK ASSORTMENT
143 numbers, the quantities of each vary according to customer demand
(480 Key Blanks). Cylinder Key Blanks only.

| | | | | | | | |
|------|-------|------|-------|-------|-------|--------|--------|
| 4ARM | UOOGX | UO9 | 36 | X54K | R64D | H122FR | A145L |
| 6M | UOOGX | 10 | 36S | X54WA | 69 | H122M | 170 |
| 7DA | XOOF | U10 | 36U | 62CA | 69C | L122A | H175 |
| 7E | XOOKC | 11 | 41G | 62DC | M69C | U122 | 176 |
| U7E | O1 | 11P | 41GA | 62DG | 79 | U122A | 176D |
| 7X | O1EB | 12 | 41GR | 62DM | 79B | U122AR | 192 |
| 8 | O1EN | 14 | 47CR | H62DP | 92 | U122BM | X199AR |
| 9 | RO1EE | 14D | 50 | S62DP | 92B | 123 | X199B |
| 9A | RO1EF | 14J | 54 | 62LG | 96L | 125H | XI99G |
| 9R | RO1EL | U14T | 54F | 62VN | 98DB | 125K | 706K |
| 9RY | RO1EN | 19 | 54K | 62XL | 98M | 125M | XU199B |
| 9T | O4 | 19D | H54WA | W62VB | 98XL | M127 | XU199G |
| C9 | 04A | 22 | L54B | W62VE | H98LA | M127A | 705K |
| OO | O4N | 27 | L54F | U62VN | H98M | 141L | 707A |
| OOAB | 07KMA | 33 | L54K | 63 | H98X | 141GE | 755 |
| OOT | 07KMB | 33N | L54KD | 63Q | U98LA | 145 | 759L |
| OOV | 07LA | 34 | P54F | 64A | 119 | 145A | 765 |
| ROOV | O9 | 34H | X54F | M64 | H122F | 145L | |

No. 3KBA — KEY BLANK ASSORTMENT
95 numbers, $\frac{1}{2}$ doz. each (except more popular numbers - 1 doz. each)
Cylinder Key Blanks only.


| | | | | | | | |
|-------|-------|------|-------|-------|--------|-------|---------|
| 6M | O1 | U14T | 53 | 62XL | 98XL | 141L | X199AR |
| 7DA | RO1EF | 22 | H54WA | S62DP | H98LA | 145 | X199B |
| U7E | RO1EN | 25 | L54B | W62VE | H98M | 145A | X199G |
| 8 | O4 | 27 | L54F | W62VB | U98LA | 145F | X199J |
| 9 | O4N | 33 | L54K | M64 | 119 | A145F | XU199A |
| OO | O9 | 33N | L54KD | R64D | U122A | 170 | XU199AR |
| OOT | 10 | 34 | P54F | 69 | U122AR | H175 | XU199B |
| UOOGX | U10 | 34H | S54F | 72 | 123 | 176 | XU199G |
| XOOKC | 11 | 36 | 62CA | 79B | 125K | 176D | 703K |
| OOV | 11P | 36S | 62DG | 92 | 125M | 192 | 707A |
| O1EB | 14 | 36U | 62DH | 92B | M127 | 192B | 759L |
| O1EN | 14D | 41G | 62LG | 98M | M127A | X199A | |

No. 4KBA — KEY BLANK ASSORTMENT
73 numbers, $\frac{1}{3}$ doz. each Cylinder Key Blanks only.


| | | | | | | | |
|------|-------|------|------|-------|-------|------|-------|
| 7K | 61NC | 62DB | 62DO | 62VJ | R62VB | 63B | M63B |
| 61D | 61SA | 62DC | 62DP | 62VM | R62VN | 63E | M63E |
| 61E | 61SB | 62DE | 62DT | 62VN | R62Z | 63G | MR63E |
| 61F | 61SC | 62DF | 62R | 62VO | S62DP | 63JA | R63E |
| 61G | H61NA | 62DG | 62VA | 62Z | U62VB | 63K | R63K |
| 61GA | H61VM | 62DH | 62VB | A62VC | W62VB | 63M | S63B |
| 61H | R61NA | 62DK | 62VC | H62DP | W62VE | 63P | 65K |
| 61J | V61S | 62DM | 62VE | H62VB | Y62 | 63Q | 65M |
| 61N | 62BZ | 62DN | 62VG | H62VG | 63 | 63W | H199N |
| 61NA | | | | | | | |



KEY
DISPLAY
UNITS



SIZE — 12" x 38½"



For Rotating Key Display combined with Key Cutting Machine and Motor Unit, see page 58.

**No. 1KB — HANDY KEY BLANK
DISPLAY BOARD**

Attractive, bright, 3 colour key board is excellent sales promoter when prominently displayed. Durable, all steel construction, provides 102 key hooks and space over each for key number. Makes key blank stock readily accessible and easily identified. Overall colour light blue. "WE CUT KEYS" sign available in French, English and Spanish. Please specify when ordering. (Key Blanks not included.) For assortments see Page 52.



SIZE — 12" x 16"

No. 1RKB — ROTATING KEY DISPLAY



Sturdily constructed rotating key board designed to hold 168 numbers, with rotating feature for extra convenience. Painted finish with "WE CUT KEYS WHILE YOU WATCH" display at top. Illuminated globe for extra attraction. Key number space provided above each hook. Supplied with 168 hooks for easy assembly. Includes Rotating Display and key assortment consisting of 40 dozen key blanks — 143 different numbers.

No. 2RKB — ROTATING KEY DISPLAY

Same as No. 1RKB without key blanks.



FOREIGN CAR KEY BLANK ASSORTMENT



BOARD SIZE 12" x 38 1/2" — 102 HOOKS

MAKE OF LOCK

BOMORO
DUBOIS
FIST
HUF
KEIPER
KIFERM
NEIMAN
PORSCHE
PORSCHE-LLOYD
RONIS
SAFE
SEIMS-ROMANS
SIEPA
STRONIS
TRAMA
VOLVO
WITTE
YMOS

VEHICLE

ALFA ROMEO
ASTON MARTIN
ARIEL MOTORCYCLE
AUSTIN
ANGLIA
BENTLEY
BORGSWARD-ISABELLA
B.S.A. MOTORCYCLE
CITROEN
CRESTA
CONSUL
D.K.W.
D.B. (PANHARD)
FIAT
FORD GOLIATH
GOGOMOBILE
HILLMAN
HUMBER HAWK

VEHICLE

ISETA
JAGUAR
JEEP
LANCIA
LLOYD
MORRIS
M.G.
MERCEDES BENZ
N.S.U. PRINZ
OPEL
PORSCHE
PREFECT
PANHARD
PEUGEOT
RENAULT DAUPHINE
RILEY
ROVER
ROLLS ROYCE

VEHICLE

SIMCA
SINGER
SUNBEAM
SKODA
STANDARD
TAUNUS
TRIUMPH
VANGUARD
VAUXHALL
VESPA
VIKING
VOLKSWAGEN
VOLVO
VELOX
WOLSLEY
ZODIAC
ZEPHYR
ZUNDAP MOTORCYCLE

FOREIGN CAR KEY BLANK ASSORTMENT AND BOARD

Over the years we have developed an extensive assortment of key blanks for FOREIGN Locks. We call those locks FOREIGN which are not made in the United States or Canada, but appear in increasing numbers on imported equipment and vehicles.

Selected from these blanks we now present a grouping of key blanks for Foreign made automobiles. This group of key blanks has been carefully selected for their usefulness. Expertly made up to DOMINION Standards from carefully assessed original lock and key information, they provide a fine initial selection with which to duplicate foreign car keys. In DOMINION Foreign Car Key Blanks, we have achieved a standard of duplication with respect to appearance as well as fit, never before reached on such a variety of key blanks. The authenticity of the shape of DOMINION Foreign Car Key Blanks is, in itself, a great asset. It assists in correct selection, saves time, avoids miscut keys and promotes customer satisfaction.


The following is the initial assortment. More blanks are being added. They will make the DOMINION Line the most up to date and all inclusive line of key blanks for Foreign Locks ever made available to the Locksmith.

In this assortment there are key blanks for the makes of locks and vehicles, listed below.

FOREIGN CAR KEY BOARD No. 1FKB (Board only)
FOREIGN CAR KEY BLANKS ASSORTMENT No. 4KBA
(Key Blanks only) SEE PAGE 52 .



KEY DUPLICATORS



Bench Space: 7" x 11½"

Shipping Weights:

No. 178-U, Machine with
No. 8UC cutter, no codes or discs—38 lbs.
With 178UA Assortment—41 lbs.
With 178UB Assortment—45 lbs.
With 178UC Assortment—40 lbs.
Cutter: 8UC Milling Cutter

No. 178-U—THE UNIVERSAL (patented)
For cutting keys by code

This duplicator cuts keys accurately and simply by number, or code, without the use of samples, markers or guide keys of any kind. It employs a simple system of perforated discs in sets of two: one for controlling space positions of cuts and one for depth positions. Discs are available corresponding to each different make or type of lock.

The UNIVERSAL machine cuts automobile keys by number; also factory-coded keys such as keys for padlocks, cylinder locks, trunk locks, cabinet locks, etc. It furnishes the best means of cutting keys for new master-key systems or for accurately fitting keys to an existing system.

The following code selections are available with the Universal Code Key Cutting Machines:

No. 178-UA—Includes all discs and certain codes included in groups 5, 7, 7N, 9, 10, 32, 32N and 36, also special block No. 22B. This equipment covers automobile codes, approximately 100 different code series, ranging from 1930 cars up to and including the latest car models.

No. 178-UB—Includes all discs and codes, groups 1 - 44 inclusive, also special block No. 22B. A comprehensive assortment including many older codes for automobiles and other miscellaneous locks, also discs for various popular makes of cylinder locks.

No. 178-UC—Includes all discs and certain codes included in groups 5, 7, 7N, 9, 10, 32N and 36, also special block 22B. Covers the most recent automobile codes, approximately 40 different code series, ranging from 1940 cars up to and including the latest car models.


No. 179-IM—THE IMPROVED MINUTE (patented)
For cylinder keys, flat steel keys and bit keys

The product of many years of locksmithing experience and research, this one machine is capable of duplicating cylinder keys, flat steel keys (both side and end cuts) and bit keys (all pass cuts, lever cuts, and ward cuts) without once removing either the sample or blank from the clamps. Changing of cutters and guides is eliminated. Practically any key can be cut with complete accuracy in less than a minute.

THE IMPROVED MINUTE is extremely simple in construction and very easy to operate or adjust when necessary. Complete details are given in instruction booklet supplied with each machine.

SPECIAL FEATURES:

Separate set of clamps for different types of keys • Hardened steel corrugated grip jaws on bit key clamps (designed for all sizes of double and single-bit keys) prevent slippage • Reversible block on cylinder key vise accommodates narrow keys. Standard equipment includes blocks for offset, double-bit and other special cylinder keys • Two speed pulley on drive shaft allows choice of cutting speed for different materials and conditions • Two step motor pulley for ½" diameter shaft supplied • Main bearings of highest quality bronze.




Bench Space: 10" x 21"

Shipping Weight: 75 lbs.

Cutters: 6RF (Rotary File)
3FS HSS Slotted
12MS Slotted



KEY DUPLICATORS



Bench Space: 16" long x 10" wide

Shipping Weight: 32 lbs.

Cutters: 8RF (Rotary File)
(or 9MC Milling Cutter)
3S HSS Slotter


No. 125—LOCKSMITH'S KEY DUPLICATOR

Scientifically designed to meet the needs of the practical locksmith. Of sturdy, rigid construction, this unit is precision-built, evenly balanced and easily adjusted to duplicate accurately all types of Cylinder, Flat Steel, Corrugated and Bit Keys, both steel and malleable iron.

SPECIAL FEATURES:


Reversible jaw inserts provide support for corrugated, double-sided keys. Special inserts also allow deep cuts in narrow blanks without cutting clamp jaws; adjusting screws in top jaw-pieces to compensate for varying blank thicknesses and to balance clamping pressure to insure positive grip

Attachment for hand operation available on request. Single, simple adjustment. Complete, illustrated operating instruction supplied. Highest degree of duplicating accuracy to meet locksmiths' standards.



No. 125M—LOCKSMITH'S KEY DUPLICATOR

Same as No. 125, mounted on wood base and complete with motor, switch, and connecting cord.



No. 125A— LOCKSMITH'S AUTOMATIC KEY DUPLICATOR

An excellent duplicating machine of scientific design, sturdy and precision-built to duplicate most cylinder keys automatically or manually, as desired.

On manual operation it can be used for all types of keys — flat steel, corrugated, and bit keys up to 4½" long. Extremely safe and simple to operate. The flip of a finger converts it from automatic to manual operation.

Bench Space: 21" long x 11" wide

Shipping Weight: 36 lbs.


Cutters: 9MC Milling Cutter
3S HSS Slotter

No. 125AM— LOCKSMITH'S AUTOMATIC KEY DUPLICATOR

Same as No. 125A, mounted on a base, and supplied complete with motor, switch, and connecting cord.



KEY DUPLICATORS



No. 130—DOMINION JUNIOR KEY DUPLICATOR

A low-cost unit for high-accuracy duplication of Cylinder, Flat Steel, Corrugated and Bit Keys, both steel and malleable iron, up to 4½" long. Quick-change cutters and guides for cutting various types. Designed for hand operation.


SPECIAL FEATURES:

New Reversible Jaw Pieces provide support for corrugated and double-sided key blanks. Special inserts allow deep cuts on narrow blanks without cutting clamp jaws. Adjusting Screws in top clamp compensate for various thicknesses, insuring positive grip. Plastic Cutter Guard for clear-vision protection. Operating instructions with each machine.

Bench Space: 12" long x 10" wide

Shipping Weight: 16 lbs.

Cutters: 8RF (Rotary File)
3S (HSS) Slotted



No. 130M— DOMINION JUNIOR KEY DUPLICATOR—MOTORIZED

Same as No. 130 mounted on sturdy plywood base and complete with motor, switch and connecting cord.

No. 130A—DOMINION JUNIOR AUTOMATIC KEY DUPLICATOR

Designed to duplicate cylinder keys automatically, with optional manual duplication control. The cutting wheel automatically double-checks each cut, to assure accuracy and smoothness. Factory tested for dependability and fully guaranteed against defects in workmanship and material.

Bench Space: 18" long x 11" wide

Shipping Weight: 28 lbs.

Cutter: 9MC Milling Cutter

No. 130AM— DOMINION JUNIOR AUTOMATIC KEY DUPLICATOR—MOTORIZED

Same as No. 130A mounted on sturdy plywood base and complete with motor, switch and connecting cord.

No. 81—TUBULAR KEY CUTTING MACHINE

Accurately duplicates Tubular or Hollow, Ace type keys without decoding. Equipped with a solid guide and positive grip chuck for the key blank. It duplicates cuts occurring in any position around the tubular section of the sample key. Mounted on solid aluminum base complete with motor, switch, and cord. Use No. 137 Key Blank.

Bench Space: 13" long x 4" wide

Shipping Weight: 9 lbs.

Cutter: 16C End Mill

No. 181D TUBULAR KEY CUTTING MACHINE

Used for duplicating and cutting keys of the tubular type by code. A decoding device mounted permanently on the machine is first used to decode the sample key, the key blank is then cut accurately by code. The depth of cut is controlled by the dial wheel. The spacing of the cuts around the tubular section of the key, is fixed by the ratchet wheel mounted on the key blank clamping device.

Bench Space: 5½" x 11"

Shipping Weight: 17 lbs.

Cutter: 16C End Mill


No. 2181D— TUBULAR KEY CUTTING MACHINE — MOTORIZED

Same as No. 181D with motor, switch and cord.

Bench Space: 17" x 12"

Shipping Weight: 45 lbs.

Cutter: 16C End Mill




No. 137

Illustration of
Cut Key made
from No. 137




KEY DUPLICATORS



Nos. 135M, 136M, 136DM, 137M

Same as 135, 136, 136D and 137 machines respectively.
Each machine mounted on a base, complete with motor, switch, belt and cord (cover extra). To specify cover order: 135M with cover.

Bench Space: 11" long x 12" wide
Shipping Weight: 48 lbs.
Cutter: 23RF (Rotary File) and 4S Slotted
Power required: 110 volts,
single phase, 60 cycle.



No. 135—DOMINION SIMPLEX Cylinder Key Duplicating Machine

Small, compact highly adaptable and very handy for many operations, this machine is designed to match the performance of larger machines in the duplicating of cylinder keys. It is sturdy, accurate, dependable.

Bench Space: 7" x 3 3/4".

Shipping Weight: 12 1/2 lbs.

Cutter: 23RF (Rotary File)

No. 136

No. 135 machine equipped to cut Flat Steel Keys only. Uses Cutter No. 4S.

No. 136D

No. 135 machine equipped to cut Flat and Cylinder Keys. Uses Cutters 23RF and 4S.

No. 137

No. 135 machine equipped to cut Double Bitted Cylinder Keys. Uses Cutter No. 23RF.



135M with cover.

No. 1KMU—KEY MERCHANTISING UNIT

Dominion SIMPLEX Key Cutting Machine, complete with motor, mounted as a unit with attractive rotary key display, including Key Blank Assortment No. 2KBA — 40 dozen key blanks, an assortment of 143 of the most widely used key blank numbers. The unit is attractively finished, with illuminated top globe, and combines the selling and cutting of keys in a single unit occupying small counter or bench space. An effective builder of extra sales volume that promotes impulse buying wherever used.

Bench Space: 11" long x 15" wide

Shipping Weight: 100 lbs.

Power required: 110 volts,
single phase, 60 cycle.

No. 2KMU—KEY MERCHANTISING UNIT

Same as No. 1KMU, but without key blanks.

Shipping Weight: 89 lbs.

(See page 53 for separate Rotating Keyboard for counter application.)



CUTTERS SCRAPER CYLINDER LOCK TAP




**No. 9MC—
HIGH SPEED MILLING CUTTER**

for D.L. Automatic Key Duplicators Nos. 125A and 130A. Can also be used on 125 and 130 Key Duplicators.



No. 23RF—ROTARY FILE

For DL SIMPLEX Key Machine No. 135.




No. 12MS

For ILCO Key Machine No. 179-IM.




No. 5RF—ROTARY FILE

For ILCO Improved Duplex and Improved American.



No. 8RF—ROTARY FILE


For DL Machines Nos. 125 and No. 130.



No. 3S—SLOTTER

.040 x 2 $\frac{3}{4}$ x $\frac{3}{8}$ inches.
For DL Key Machines Nos. 125, 125A, and No. 130.

Slotting Cutters are made of High Speed Steel (HSS).




.055 x 2 $\frac{1}{2}$ x $\frac{3}{8}$ inches.
For 179-IM and ILCO Key Machines.

Slotting Cutters are made of High Speed Steel (HSS).

.040 x 2 $\frac{1}{4}$ x $\frac{1}{2}$ inches.
For DL Key Cutting Machines Nos. 136 and 136D.

.040 x 2 $\frac{1}{2}$ x $\frac{3}{8}$ inches.
For ILCO Key Machines.



No. 20 KEY SCRAPER:-

Hardened and ground steel scraper blades (2 per set) provided with screws for attaching to Key Machine base.

Provides quick and clean method for removing burr after cutting key. Long lasting, easily resharpened.

**NO. 1 LT CYLINDER
LOCK TAP**

For retapping cylinder locks standard thread.




No. 16C—HIGH SPEED END MILL

for Key Machines Nos. 81 and 181.

60




KEY RINGS CASES AND TAGS



1KCA

Popular priced key chains and rings in wide and constant demand by key users, priced to bring unusual return on small investment. Fast moving stock in bright, shining finishes, attractively displayed on colourful metal counter or wall display.

All new line of genuine leather key cases, fine appearance, carded for convenience, easel frame for counter or wall forms attractive display. Complete range of models and assortments provides wide price range and meets all popular requirements.



No. 1KHA

Key case assortment
1/2 doz. 4KH and 1/2 doz. 5KH

No. 2KHA

Key case assortment
1/2 doz. 1KH 1/2 doz. 2KH
1/2 doz. 3KH




No. 1KH
Small, single screw 18 per card




No. 2KH
Standard, single screw 18 per card




No. 3KH
Double screw 18 per card



No. 4KH
Four key hooks 12 per card



No. 4AKH
Four key hooks 12 per card



No. 5KH
Six key hooks 6 per card

Refills available in following individually packed minimum quantities:

| Item No. | Name | Supplied in Original Quantity | Refill Quantity |
|----------|---------------------------|-------------------------------|-----------------|
| 1KC | Bead Chains | 120 | 3 doz. |
| 2KC | Snap Fastener Key Holders | 50 | 1 doz. |
| 7052B | 3/4" Split Rings | 20 | 1 doz. |
| 7052C | 1" " | 20 | 1 doz. |
| 7052D | 1 1/4" " | 20 | 1 doz. |
| 7052E | 1 1/2" " | 10 | 1 doz. |


No. 7052E—1 1/2"

Tempered Steel
Key Rings,
split type.
Polished nickel
finish.


No. 7052D—1 1/4"

No. 7052C—1"


No.
7052B
3/4"



No. 7000B
Embossed Brass Key Tags
3 doz. to box




No. 2KT
Brass Key Tags
7/8" diam.



No. 1KT
Brass Key Tags
1 1/8" diam.




EMBLEM KEYS INITIAL KEY CHAINS



3-KCA

THREE ITEM STAND


Special triple rack with 1 each 14K, 17DK, and 105C assortments. Rotates on own stand. Fast selling counter model.

**No. 14K—GOLD**

Bright gold-finished key with Saf-t-lok. Key holder and heavy duty clasp. Brilliantly enamelled emblem, latest design.

105C—INITIAL KEY CHAIN

Black engraved initial on a gold-coloured medallion set in brilliantly coloured plastic fob. In 6 assorted colours, initials supplied in carefully selected handkerchief assortments.



Deluxe signet keys and key-chains in a variety of styles, designed to appeal to the car owner whose pride of ownership makes him a ready customer. For all makes of automobiles. Attractively put up on self-selling metal counter displays. Now supplied with latest style emblem for Ford, Chevrolet, Plymouth, Dodge, De Soto, Mercury, Pontiac, Buick, Oldsmobile, Chrysler, Lincoln, Cadillac, Studebaker, Rambler, etc. Standard packing: 36-piece assortment of above makes. Refills available in units of 6 of any one car crest.


**No. 17-DK—"DREAM CAR"**

Every "dream car" reproduced in brilliant heraldic colours on the sturdy metal case containing 2 keys. Car insignia reproduced in colour on reverse face. 18-kt. gold finish. Each with saf-t-lok key chain. Self-selling metal display holds 12 units. Standard assortment of 36 units for all popular makes of car. Refills available in minimum quantity of 3 key-units for any one make.




PIN AND
WAFER
TUMBLERS
AND
FINDINGS

BOTTOM PINS (BRASS)




CYLINDER PIN TUMBLERS

TOP PINS




MASTER PINS



LENGTH OF PINS
The following chart shows the length of cylinder pins illustrated on this page.

| No. | A115 LENGTH | B102 LENGTH | C095 LENGTH | D115 LENGTH | E102 LENGTH | F095 LENGTH | M115 LENGTH | M102 LENGTH | M095 LENGTH |
|-----|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| 1 | .166 in. | .103 in. | .105 in. | .156 in. | .130 in. | .130 in. | | | |
| 2 | .181 in. | .118 in. | .120 in. | .187 in. | .155 in. | .155 in. | .030 in. | .030 in. | .030 in. |
| 3 | .196 in. | .133 in. | .135 in. | .218 in. | .180 in. | .180 in. | .045 in. | .045 in. | .045 in. |
| 4 | .211 in. | .148 in. | .150 in. | .250 in. | .205 in. | .205 in. | .060 in. | .060 in. | .060 in. |
| 5 | .226 in. | .163 in. | .165 in. | .281 in. | .230 in. | .230 in. | .075 in. | .075 in. | .075 in. |
| 6 | .241 in. | .178 in. | .180 in. | .313 in. | .255 in. | .255 in. | .090 in. | .090 in. | .090 in. |
| 7 | .256 in. | .193 in. | .195 in. | | | | | | |
| 8 | .271 in. | .208 in. | .210 in. | | | | | | |
| 9 | .286 in. | .223 in. | .225 in. | | | | | | |
| 10 | .301 in. | .238 in. | .240 in. | | | | | | |
| 11 | .316 in. | .253 in. | .255 in. | | | | | | |
| 12 | .332 in. | .268 in. | .270 in. | | | | | | |

WAFER TUMBLERS




For double bitted locks. Refer to keying Kit Table for exact shapes. This series is for master keyable 755 cylinders using 755-765 key blanks.



L1 L3 L5
For single bitted locks.

PIN TUMBLER CYLINDER SPRINGS




HANDY NON-SPILL VIAL



All tumblers and Pins supplied in plastic vial — non-spill type bottle with permanent cover. Handiest container—many uses. Can be put in wooden block with drilled holes to use as handy carrying case. Vial holds 1 gross cylinder pins or $\frac{1}{2}$ gross tumblers.
Never-lost-cover
Perfect Roll-off when lying on side.


TUMBLERS




- Free of end fit and burr.
- Specially engineered radius.
- Length accurate to $\frac{1}{1000}$ ".
- Perfect angle and radius.

Finest Quality Tumblers and Pins. Latest design. Engineered for perfect fit and trouble-free operation. Free of burrs and end fit. Ideal for master key work.


No. 1UP
CYLINDER BACK PLATES



Universal Cylinder Back Plate. Fits all DL cylinders, rim locks and latches. Permits connecting screws to be attached before placing cylinder in door, facilitates mounting of cylinder.



No. 14
PLUG RETAINER
Standard Mortise Lock Cam provides sufficient length for fitting to all types of Mortise Locks.



No. 20R
Plug Retainer.



No. 39R
Plug Retainer Screw
 $\frac{1}{4}$ " x 3-48 dog point round head.



SL1, SL1A, SL2
SL1 to fit D.L. Cylinder Locks Nos. 4096 and 6000.
SL1A to fit D.L. Rim Lock Cylinders.
SL2 to fit Duralock and Resident Key-in-Knob set cylinders.



No. 39F
5/16" x 3-48 Screw
Retainer.




KEYING KITS SHIMS AND STRIKES



3 KK WAFER TUMBLER KEYING KIT

Contains a complete set of Wafer Tumblers, tumbler springs and retainer clips for keying and master keying D.L. Co. double sided Wafer Tumbler Cylinders. Also includes setting-up vise for holding plug, two duplicating machine jaw inserts for holding keys, one set of depth keys and a special hook for removing the cylinder from 'W' type Duralock sets. Included with this Kit is an instruction booklet on keying and master keying double bitted wafer tumbler cylinders, with complete information including diagrams and illustrations on wafer tumbler keying methods. Over 1300 pieces.




1 KK PIN TUMBLER CYLINDER KEYING KIT

Contains all necessary Pins, tumbler springs, cylinder slides, retainers and screws for keying and master keying D.L. Co. Cylinders. Includes 1 set of tweezers for handling pins and springs, a thimble and following tool for setting up cylinders and shim stock for opening cylinders. Over 900 pieces. The Tumbler Pins and springs are standard size, .115 diameter. They are made of the best hard brass pin stock and to a design carefully developed over the years to provide a pin specially suited to locksmiths' needs.


2 KK PIN TUMBLER CYLINDER KEYING KIT

Same as Keying Kit #1 KK but without tools and shim stock.




2ST SHIM STOCK


Shim stock in strips for opening locks. Latest type curved stock. Each shim $\frac{1}{4} \times 1\frac{3}{4}$ only $1\frac{1}{2}$ thousandth thick. Saves time and does away with picking or rapping pin tumbler cylinders. Curved shim is rigid and can be used more easily and successfully than flat stock. Works on all types of Tumbler Pins. Can be used to make up special tools for reaching cylinder pins in difficult to reach cylinders such as those which cannot be removed from the knobs of key-in-knob locks and many other applications. Instructions for using shim stock to open pin tumbler locks supplied with each envelope containing 12 pieces.




No. 250 S
For Dominion "Duralock" cylindrical Locksets. $1\frac{1}{4} \times 2\frac{1}{4}$. Projection: $11/16$.




No. 250 SA
Same as 250 S. Lip Extension: $1-1/16$. For use with locksets for $2\frac{1}{4}$ " thick and heavier doors.




No. 250 TS
Universal Template type for cylindrical locksets. Fits Dominion, Schlage and others. $1\frac{1}{8} \times 2\frac{3}{4}$. Opening: $1\frac{1}{4} \times 11/16$. Lip: $3/4$.




No. 242 S
For use with Dominion Residential and other Locksets. Full Lip Type. $2\frac{1}{4} \times 1\frac{1}{8}$. Opening: $9/16 \times 1$. Projection: $7/8$.




No. 25 S
Steel, brass plated. $7/8 \times 3\frac{1}{4}$. Lip Extension: $9/16$.




No. 101 S
Heavy gauge brass, DB finish $1\frac{1}{8} \times 4\frac{1}{8}$. Lip Extension: $11/16$. For use on all DL sectional sets.




No. 260 RS
DB finish for DL night latch No. 268 and other standard rim latches.




No. 260 FS
Steel, brass plated $1\frac{1}{8} \times 2\frac{1}{4}$. Opening: $5/8 \times 1\frac{1}{4}$.




No. 270 RS
DB finish for DL night Latch No. 272.




No. 212 S
 $1 \times 2\frac{1}{4}$. Opening: $11/16 \times 1$. Lip Extension: $5/8$. For use with "Ideal" sets.



No. 601 FS
Same as 601 RS, for use on doors opening out and steel door frames.




No. 601 RS
BZ finish for DL Jimmy - Proof deadlocks.



No. 250 BS
Strike Box for No. 250 S strike.
No. 250 TBS
For use with No. 250 TS strike.





LOCKSMITHS TOOLS




2LG GENUINE "LOCK-AID" GUN


Newest type picks and tension wrench designed to open pin tumbler and disc tumbler locks. Sold to recognized locksmiths only.



6-LPS



16 - LPS



32-LPS

LOCK PICKS

Set #6-LPS—Comprises 5 Lock Picks, one broken-key extractor and two tension wrenches. Packed in neat case of genuine leather.

Set #16-LPS—Deluxe Lock Picking Set. Comprised of 16 picks, assorted tension tools and key pullers with zippered 3 pocket genuine leather case.

Set #32-LPS—Professional set of widely assorted Lock Picks. Contains 32 picks, Tension tools, Feelers and Key Pullers. Supplied in spill proof carrying case with full zipper made of genuine leather.




**DECODER
AND
CODE
KEY
CLIPPER**

**1 HPC PIN TUMBLER
DECODER**

For Chrysler, Dodge, Desoto, Plymouth, Imperial and Studebaker cars from 1937 to present year. Easy, quick accurate decoding, enables the Locksmith to cut the proper key. Identifies key to fit ignition, door, trunk locks.

Simple to operate. Instructions with each unit. Convenient to use on the job without removing lock from car. One hand operation. Weight - approximately 9 ounces.







**430 CARRY-OUT
KEY CLIPPER**

This handy code machine equipped for the precise cutting of keys by code for General Motors, Chrysler products, Ford, American Motors and Studebaker cars.

This equipment includes 3 space dials and 4 depth dials. Other dials can be added to extend the usefulness of the machine for the cutting of other types of keys as well.


Comes completely equipped with Key Decoder, 177 page automobile Code Book and metal carrying case. The finest equipment of its kind, easily carried. Simple to operate. Can be used anywhere.



430 A




**LOCKSMITHS
TEST
KEYS**



GENERAL MOTORS MASTER KEYS

A complete set of 64 keys, to fit all GM models for all years from 1937 up to and including current year. Will open 80% of all door, ignition and rear deck locks.





LOCKER MASTER KEYS

Set of 8 perfect locker keys for most popular modern locker installations.

DEPTH KEYS

Precision-made depth key sets, checked for accuracy and efficiency, for all automobile locks, for use with Majestic Auto Codes from 1936 to the present. Depth keys are also available for all standard makes of pin tumbler cylinder locks including Dominion, Yale, Corbin and Schlage.



BRIGGS & STRATTON MASTER KEYS

Set of 34 keys to fit with 90-95% efficiency door, ignition, rear deck, glove compartment, gas cap, wheel and tire locks, as well as padlocks for earlier year models of GM, Chrysler and other makes of cars.

YALE JUNIOR MASTER KEYS

Set of 34 keys to fit with 90-95% efficiency door, ignition, rear deck, glove compartment locks for earlier year models of Chrysler, Studebaker and many other makes of car. Also Yale padlocks, tire locks, and gas cap locks.


**COMPLETE SERIES OF CUT KEYS
FOR ENGLISH AUTOMOBILE LOCKS
(UNION MAKE)**

These keys are cut to the exact lock combination. They are not master keys. Each series is made up of the complete number of combinations in the series. They eliminate need to pick locks or read combinations. The key can be tried rapidly with success assured. Each key is numbered for ready identification.

FP — Series — 75 Keys — 62DP Key Blank.
FP — Series — 75 Keys — 62DT Key Blank.
MRN-Series — 54 Keys — 62DC Key Blank.
FA — Series — 75 Keys — 62DG Key Blank.




LOCKSMITHS TOOLS AND SUPPLIES




No. 100FT — FOLLOWING TOOL

For D.L. Co. Cylinders. Has internal taper at one end to fit "Duralock" Cylinders. Hollow type. .500 dia. Can be used for other makes of cylinders as well.



No. 101FT — FOLLOWING TOOL

To fit Yale and other cylinders. Solid type .500 dia.




No. 150PH — PLUG HOLDER

Precision-machined, hardened vise type, .510 diameter. For D.L., Yale and many other makes.


No. 151PH — PLUG HOLDER

Expendable type made of non-ferrous metal. Very economical to use and inexpensive enough to be discarded and replaced by new plug holder when worn down. .510 dia.



No. 901 — RAWHIDE MALLET

Long-wearing, non-abrading rapping mallet for the locksmith's use. Well made, of genuine rawhide leather.



STEEL STAMPS

Made of finest tool steel for marking keys, tags, etc. Conveniently boxed for ready use.

No. 801

Letters 3/32" in size.

No. 801S


Letters 1/16" size.

No. 801N

Figures only 3/32" size.

No. 801NS

Figures only 1/16" size.




No. 803 — PUNCH GUIDE

Insures clear die impressions on flat or curved surfaces. For use with punch die sizes 1/32" to 5/32".



No. 802 — HAND STAMPING DIE

Hand engraved in tool steel and tempered. For stamping keys, tags, etc., for your own advertising and identification.




When ordering supply the following information:

1st Line: Name

2nd Line: Phone No. or address, or other advertising.

First line of lettering is approximately 3/32" high x 3/4" long. Second line slightly smaller.



No. 1GG — MICROFYNNE GRAPHITE GUNS

Conveniently packaged graphite lubricant in powder form. Self-selling display-card box holds 1 doz. individual "guns".



No. 2GG — RUBBER GRAPHITE GUN

Reliable dispenser of heavy rubber holds plentiful supply of flake graphite. Has special patented non clogging spout. Contains the best Locksmiths' lubricant microfynne graphite.



No. 8008B


General purpose microfynne lubricating graphite. Handy package best grade of lock and cylinder graphite. The ideal lock lubricant. One pound net weight containers.



REFERENCE BOOKS

MODERN LOCKSMITHING

An up-to-date manual of modern locksmithing. Fully illustrated, neatly bound.



CONFIDENTIAL SAFE MANUAL

Instructions given in all aspects of safe opening and combination setting technique. Covers Bank Safes, Vault Doors, Time Locks, Jeweller's safes, Chests and Safety Deposit Boxes of many types and makes, new and old.

Available to recognized locksmiths only.

HOW TO OPEN LOCKS


A useful manual outlining quick methods of gaining entrance.

Covers jimmying, cylinder drilling, and other methods of opening doors, filing cabinets, desks, letter boxes, windows, transoms, automobile locks, etc.

HOW TO MAKE KEYS

Key-fitting by the impression method, making keys without removing or disassembling the lock.

Covers keys for mortise, mail, desk and cabinet locks, cylinder keys for pin and wafer tumbler locks.



MAJESTIC TRUNK KEY BOOKS

A 2-volume manual for many makes of trunk, suitcase, handbag and other baggage locks, illustrated and annotated. Designed for accurate duplication from illustrations covering 3160 keys.

MAJESTIC AUTO CODE BOOK

A complete code-book for the automotive locksmith, covering all makes, all models, all years up to the present.

YALE & EAGLE LOCKER LOCKS

Code-books for the cutting of keys to fit Yale and Eagle locker locks.

YALE PADLOCK CODE BOOK

A code-manual for cutting keys to fit finest cast bronze pin tumbler Yale padlocks and other models. Complete with information on depth spacing, etc.

CODE REVIEW

Codes for many makes of special purpose cabinet, desk, telephone, and other locks including Aurora, Briggs & Stratton, Chicago, Corbin, Eagle, English Cars, Labelle and Security Knob locks, and some Yale locks.



MODERN METHODS, TIME SAVERS, TECHNICAL TIPS, QUICK TRICKS, AND CLEVER CLUES FOR LOCKSMITHS.


New booklets on modern locksmithing practises, condensed, for easy reference. Wide range of topics, codes, methods of disassembling and reversing locks, etc.

CODES FOR MASTER PADLOCKS

Contains greatest number of codes for master padlocks thus far assembled. Over 50 code series. Master padlock depth keys on page 66.

EXPLODED VIEWS VOL. 1 & 2

Detailed instructions and diagrams for servicing and taking all types of modern locksets apart also some padlocks and panic bolts. Wonderfully handy and useful reference books on all popular locks being applied to-day.




MASTER KEY SYSTEM


Basic methods of operation of master key system for warded, lever, and pin disc tumbler type locks. Detailed instructions on how to make pin tumbler master key systems.




SALES AIDS



LOCKSMITH'S OUTDOOR SIGN. A new enlarged sign featuring a traditional locksmith's symbol — a giant D.L. Key — designed in eye-catching, bright, permanent colors, both sides. Heavy-gauge steel. Grommeted for easy hanging. Size 12" x 30". Also available in French.




DECALCOMANIA SIGNS. Eye catching colorful and durable point-of-sale decals for doors, windows and other locations. Available in English, French, or Spanish.




NL14



P14



DC17




SE11

DEMONSTRATING SAMPLE MOUNTS. Working models of widely known DL Night-latches, Deadlocks, Mortise Locks, Entrance Mortise Lock Sets, Cylindrical Lock Sets, Padlocks, Door Closers. All handsomely mounted. Real aids to extra selling volume. For Duralock, Resident and Ideal mounts, see pages 76, 77 and 78.



DOOR CLOSERS




The DOMINION Closer has been carefully engineered to provide a hydraulic closer of the highest quality. It is of modern design, pleasing appearance, made of the best materials and of high grade of workmanship.

In keeping with our policy for stressing value, the Door Closer is reasonably priced.


A TEMPLATE with complete instructions for installing is packed with each Closer.

Soffit and Corner Brackets available for all sizes of Closer.


Additional springs and parts for servicing are always available.



SOFFIT BRACKET



CORNER BRACKET



SPRING

STANDARDS FOR SELECTING CORRECT SIZE DOOR CHECK FOR INSTALLATION.

FINISHES:

Standard Finishes are Bronze and Satin Silver.

PACKED:



One to a box with template and mounting instructions.

| No. | Std. Carton Contains | Shipping Weight |
|-----|----------------------------|--------------------|
| 2 | 3 | 28 |
| 3 | 3 | 31 |
| 4 | 3 | 40 |
| 5 | 1 | 14 |

| NUMBER | TYPE OF DOOR | MAXIMUM DOOR SIZE |
|--------|---|--|
| 2 | Heavy screen doors or light interior doors or closet doors | 1 3/8" x 3'0" x 7'0" 1 3/8" x 2'8" x 7'0" 1 3/4" x 2'8" x 7'0" |
| 3 | Light exterior doors or corridor and office doors of wood or metal | 1 3/4" x 2'6" x 7'0" 1 3/4" x 3'4" x 7'0" |
| 4 | Ordinary exterior doors or heavy interior doors subject to strong draft | 2 1/4" x 3'0" x 7'6" 2 1/4" x 4'0" x 7'6" |
| 5 | Heavy exterior or heavy interior doors subject to strong draft | 3' x 3'6" x 7'6". |



DOOR CLOSERS PARTS



Shaft Packing Nut Wrench



Box wrench



End cover wrench



Pin end cover wrench

Replacement parts for the DOMINION Door Closer are available in the form of complete units, or as separate parts. They are readily obtained from stock. To ensure receiving the correct part, order as follows:

Show:

- a) Part Number,
- b) Size Number of Closer.
- c) Finish of Closer.

for example:

Main Arm for a No. 3 closer in bronze finish is specified as:
Part No.: 110.
Closer No.: 3.
Finish: Bz.

Part list:


| | | | |
|-----|---|-----|------------------------------------|
| 701 | Casing | 914 | Crank shaft |
| 902 | Upper cover | 715 | Screwed arm complete containing |
| 703 | End cover | 716 | Link for 715 |
| 704 | Box | 117 | Arm plate |
| 108 | Lower ratchet wheel | 721 | Link rivet |
| 109 | Upper ratchet wheel Piston complete, containing | 122 | Arm plate rivet |
| 906 | Lower spring collar | 29 | Spring Valve complete, containing: |
| 107 | Upper spring collar Main arm complete, containing: | 31 | Valve set screw |
| 110 | Main arm | 732 | Valve spindle |
| 118 | Pawl | 733 | Valve gland |
| 125 | Pawl pin | 738 | Valve parking |
| 19 | Joint axis pin | 734 | Box ring |
| 124 | Arm screw Link complete, containing: | 737 | Packing for end cover |
| 711 | Link | 739 | Box packing |
| 112 | Joint | 744 | Washer |
| 720 | Joint rivet | 745 | Crankshaft nut |
| | | 746 | Screw for attachment plate |
| | | 150 | Disc |
| | | 141 | Key for ratchet wheels |
| | | 796 | Attachment plate |

The Service Tools illustrated are available for use with DOMINION Door Closers. When ordering, specify numbers as appearing below:

For use with Closer No.


| | 2 | 3 | 4 | 5 |
|-------------------------------|----|----|----|----|
| 1 1/4" Tap Wrench (not shown) | 2T | 2T | 2T | 2T |
| Shaft Packing Nut Wrench | 2N | 2N | 4N | 5N |
| Box Wrench | 2B | 3B | 4B | 5B |
| End Cover Wrench | 2C | 3C | 3C | — |
| Pin End Cover Wrench | — | — | — | 5P |

DL
**KNOBS
ROSES
SPINDLES
AND
ESCUTCHEONS**



No. 70EP
ESCUTCHEON PLATES
 Standard $2\frac{1}{4}$ " x 7" size.
 Bevelled edge with reinforced knob ferrule.*

| No. | Std. Carton | Wgt. lbs. |
|---------|-------------|-----------------|
| 70EP-4 | 6 Pcs. | 2 $\frac{1}{4}$ |
| 70EP-27 | 6 Pcs. | 1 |



No. 212R ROSE
 $2\frac{1}{8}$ " Diameter. Fits all knobs shown here.*

| | | |
|------------|-----------|----------|
| 212R-4 | | |
| 212R-10 | | |
| 212R-27 | | |
| Packed | Ind. Env. | w. scrw. |
| Std. Crtn. | 12 | 12 |
| Wgt/lbs. | 3/4 | 1/2 |



NOTE:

1. All holes are tapped for 10-24 Knob Screw.
2. All spindles threaded 9/32".
3. Square spindles have 3/8-20 thread.
4. Spindles are bulk packed.

SPINDLES

All knobs individually packed in pairs, carded for pegboard display or in handy boxes for over-the-counter sale.

525**STRAIGHT TYPE****12**

Tapped holes both ends.

Threaded both ends.

| No. | SIZE | LENGTH | WGT./DOZ. |
|------|----------------------|--------|------------|
| 525 | 9/32" square 4 holes | 3 1/2" | 3/4 lb. |
| 525D | 9/32" square 6 holes | 5 1/4" | 1 3/4 lbs. |
| 12* | 9/32" grooved | 3 1/2" | 3/4 lbs. |
| 12A | 9/32" grooved | 4 1/2" | 1 1/4 lbs. |
| 12B | 9/32" grooved | 5" | 1 1/2 lbs. |

*Standard for D.L. Co. Tubular Locksets.

Other sizes on request.

76 1/2**SWIVEL TYPE****93**

Threaded both ends. With both center lugs removable.

| No. | SIZE | LENGTH | WGT./DOZ. |
|---------|---------------|--------|------------|
| 76 1/2* | 9/32" grooved | 4 1/2" | 1 1/2 lbs. |
| 77 1/2 | 9/32" grooved | 5" | 1 3/4 lbs. |
| 93 | 9/32" grooved | 4 1/2" | 1 1/2 lbs. |
| 94 | 9/32" grooved | 5" | 1 3/4 lbs. |

*Standard for D.L. Co. Mortise Lock No. 200.

UNIVERSAL SPINDLES**U81**

Threaded both ends and tapped holes both ends.

| No. | SIZE | LENGTH | WGT./DOZ. |
|-----|--------------|--------|------------|
| U81 | 9/32" square | 5" | 1 3/4 lbs. |
| U82 | 9/32" square | 5" | 1 3/4 lbs. |

U80A STRAIGHT TYPE

Threaded both ends and tapped holes both ends.

| No. | SIZE | LENGTH | WGT./DOZ. |
|------|--------------|--------|------------|
| U80A | 9/32" square | 4 3/4" | 1 1/2 lbs. |
| 96* | 9/32" square | 2 1/2" | 3/4 lb. |
| 96A | 9/32" square | 3 1/2" | 1 lb. |

*Standard for D.L. Co. Mortise Lock No. 100.


212C CLOSET SPINDLE

For use on inside closet door. Fits 212R rose.

| No. | SIZE | LENGTH | WGT./DOZ. |
|------|---------------|--------|------------|
| 212C | 9/32" grooved | 2 3/4" | 1 1/2 lbs. |
| 60TK | 3/16" square | 1 5/8" | 1 lb. |


60TK TURN KNOB

For use on inside of sectional mortise lock entrance sets.

KNOBS**No. 212K METAL KNOBS**


Non rusting metal knobs* 2" diameter for practically universal replacement. Hardened steel knob screws. Individually packed in pairs with spindles. Packed with No. 212R Rose when so ordered. To include Roses order 212KR.

| ARTICLE | PACKED/PRS. | WGT./LBS. |
|-------------|-------------|-----------|
| 212K-27 | 36 | 16 |
| 212KR-27 | 36 | 19 |
| 212K-3 & 4 | 36 | 19 |
| 212KR-3 & 4 | 36 | 22 |

**No. 212GK GLASS KNOBS**


Finest clear fluted glass knob of unusual brilliance. 2 1/8" diameter. Standard Glass Knob replacement. Individually packed in pairs with spindles. Packed with No. 212R rose when so ordered. To include Roses order 212GKR.

| ARTICLE | PACKED/PRS. | WGT./LBS. |
|----------|-------------|-----------|
| 212GK-4 | 36 | 29 |
| 212GKR-4 | 36 | 32 |

**No. C212K TULIP KNOBS**

Non rusting tulip knobs* for practically universal application. Hardened steel knob screws. Individually packed in pairs with spindles. Packed with No. 212R Rose when so ordered. To include Roses order C212KR.

| ARTICLE | PACKED/PRS. | WGT./LBS. |
|--------------|-------------|-----------|
| C212K-27 | 36 | 22 |
| C212KR-27 | 36 | 25 |
| C212K-3 & 4 | 36 | 24 |
| C212KR-3 & 4 | 36 | 27 |

**No. 214K METAL KNOBS**

Beautifully finished solid wrought brass knob in brass finishes only. Knobs are 2 1/4" diameter. With double set screws (hardened). Individually packed in pairs with spindles. Packed with No. 214R. Rose when so ordered. To include Roses order 214KR.

| ARTICLE | PACKED/PRS. | WGT./LBS. |
|-------------|-------------|-----------|
| 214K-3 & 4 | 36 | 22 |
| 214KR-3 & 4 | 36 | 25 |

*Available in regular hardware finishes.
See inside rear cover.



LOCK CYLINDERS RINGS AND FINDINGS

No. 6001 Mortise Lock Cylinder*

5-Pin Tumbler, 15/16" long, solid brass cylinder. Plug machined from bar stock. Uses Key S54F.

Regularly supplied with standard cam of sufficient length to provide any necessary adjustment to fit Mortise Locks. Has anodized aluminum cap, dull chrome plated plug, No. 109 — cylinder collar in matching finish.

Packed keyed alike in pairs, one set of 2 keys per pair. Can be supplied with special Cam No. (15) to fit Adams-Rite Maximum Security Locks on request. Also supplied in standard hardware finishes. Shipping Weight: (9 lbs.) for a carton of 24 cylinders (4 pairs keyed alike).

No. 6001 x 9 Cylinder*

With D.L. No. 9 Keyway (No. 8 Yale).

No. 6001 x 22 Cylinder* with D.L. No. 22 (Segal and Segal - Norwalk standard keyway).


No. 6001 x 145 Cylinder* with D.L. No. 145 (Schlage standard keyway)




No. 19

No. 6001

No. 6000



No. RC 240 "Resident" Lockset Cylinder
Solid brass 5-pin tumbler cylinder to fit
D.L. Co. "Resident" Key-in-Knob Set.
Supplied with 2 keys No. H54F.



No. DC 250 "Duralock" Cylinder
(for use with "Classic" design sets)

No. DR 250 "Duralock" Cylinder
(for use with "Royal" design sets)
Solid brass 5-pin tumbler cylinder for
D.L. Co. "Duralock" Locksets. Supplied
with 2 keys No. D54F.

No. 6000 — Adjustable Mortise Lock Cylinder*

Solid brass 5-pin tumbler cylinder with 2 milled keys No. S54F. Plug made from bar stock. Fits all Mortise Locks with standard thread. Adjustable for doors 1 5/8" to 3". Can be supplied in standard hardware finishes. Ship. Wt.: 4 lbs. each carton of 12.

No. 6000 x 9 Cylinder*

With D.L. No. 9 Keyway (No. 8 Yale).

No. 6000 x 22 Cylinder* with D.L. No. 22 (Segal & Segal - Norwalk standard keyway).

No. 6000 x 145 Cylinder* with D.L. No. 145 (Schlage standard keyway).

No. 19 — Standard Rim Lock Cylinder*

Solid brass 5-pin tumbler cylinder with 2 milled keys No. S54F. Plug made from bar stock. Ship. Wt.: 4 lbs. each carton of 12.

No. 19 x 9 Solid Brass Lock Cylinder*

With D.L. No. 9 Keyway (No. 8 Yale).

No. 19 x 22 Solid Brass Lock Cylinder*

No. 19 Cylinder with D.L. No. 22 (Segal & Segal - Norwalk standard keyway).

No. 19 x 145 Solid Brass Lock Cylinder*

With D.L. No. 145 (Schlage standard keyway).

No. 39 Standard Rim Lock Cylinder*

Die cast cylinder 5-pin tumbler with 2 milled keys No. S54F. Shipping Weight: 3 1/2 lbs. each carton of 12 cylinders.

*NOTE


All Rim Lock Cylinders supplied with No. 1UP self-aligning universal back plate, No. 37 reversible cylinder ring.

All cylinders are packed in individual boxes with necessary screws, rings and fittings. One dozen cylinders (all except 6001) are packed in a carton — each carton contains 4 keyed alike cylinders.

The pin spacing of cylinders with special keyways conforms to that of the original manufacturer and can be keyed with original cylinders.

CYLINDER RINGS

| No. | Type | Projection |
|--------|--------------|----------------|
| 40 3/4 | Plain | 1/8" |
| 37 | Reversible | Flush or 5/32" |
| 43 | Recessed | 5/16" |
| 45 | Wrench-proof | 1/8" |
| 47 | Plain | 1/4" |
| 57 | Adjustable | |
| 109 | Plain | 3/16" |



All rings are stocked in Dull Brass finish (4); Ring No. 109 is stocked in Dull Chrome 26D finish. Other finishes such as Polished Brass (3), Dull Bronze (10), Satin Aluminum (27), Dull Chrome (26D) are available upon request at extra cost.

CONNECTING SCREWS




No. 1CS—Special long Connecting Screw




No. 2CS—Standard Connecting Screw to fit DL, Yale, etc.

CONNECTING BARS



No. 1CN—Special long Connecting Bar




No. 2CN—Standard Connecting Bar



LATCHES AND MORTISE LOCKS

Note:—When indicating finish required, use standard finish numbers (see inside Back Cover), i.e. specify as follows:
250D-10 to indicate Dull Bronze finish.



No. 212 ID TUBULAR LATCHES

Reversible, rust-proof, steel tubular latch. Replaces similar types. When ordering indicate finish required. Front: 1" x 2 1/4". Body: 7/8" diam. x 3" long. Drill 1" hole for mounting.

212ID for D.L. Co. "Ideal" Series — Passage, Closet, Terrace.

213ID for D.L. Co. "Ideal" Series — Bedroom.

214ID for D.L. Co. "Ideal" Series — Bathroom.

REPLACEMENT TUBULAR LATCHES FOR SELF ALIGNING SETS:

Same as No. 212ID (above) but with rose aligning plate. When ordering indicate finish required. Front: 1" x 2 1/4". Body: 1" diam x 3 1/8" long. Drill 1" hole for mounting.

232S for D.L. Co. "Superior" Series — Passage, Closet, Terrace.

233S for D.L. Co. "Superior" Series — Bedroom.

234S for D.L. Co. "Superior" Series — Bathroom.

REPLACEMENT LATCHES FOR D.L. CO. "RESIDENT" LOCKSETS

Available in standard hardware finishes. See Inside Back Cover for method of specifying finish: Bore: 1" x 3 1/4". Front: 1" x 2 1/4". Supplied with full lip strike and mounting screws, individually boxed. Shipping Weight: 3 lbs. per carton of 12 latches.

"RESIDENT SERIES"

242R—Passage, Closet, Terrace. 240 R—Keylocks — Spring Latch.

243R—Bedroom. 241 R—Keylocks — Deadlatch.

244R—Bathroom. 2405R—Keylocks SL-5" Backset.


2415R—Keylocks DL-5" Backset.

REPLACEMENT LATCHES FOR CYLINDRICAL LOCKSETS

Reversible deadlocking and spring latches. Replaces similar types — Dominion "Duralock", Corbin, Schlage, etc. Front: 1" x 2 1/4". Body: 7/8" diam. Drill 7/8" hole for mounting. Backset: Regularly supplied for 2 3/8". Available when specified for 2 1/2" backset. Supplied with strike, strike adjusting plate, and mounting screws. Individually boxed. Shipping Weight: 2 lbs. per carton of 12 latches.

250D for D.L. Co. "Duralock" Series — Spring Latch.

251D for D.L. Co. "Duralock" Series — Deadlatch.



No. 100 — No. 200 — HEAVY DUTY MORTISE LOCKS


For perfect operation and durability in service. All parts precision stamped, forged or extruded. Best quality. Latch bolt automatically deadlocked when square bolt in locking position — an extra protection feature. Case: 5 1/2" x 3 1/2". Lock Face: No. 100 — 1" x 7 5/8". No. 200 — 1" x 8". Backset: 2 1/2".

No. 100 —

Section Mortise Lock for thumb lever operation as in grip handle sets.

No. 200

Sectional Mortise Lock for knob operation only.



No. 25 — MORTISE LOCKS


Reversible Mortise Lock suitable for new construction or as a replacement set. Well made, sturdy construction. Case: 3 1/4" x 3 5/8". Front: 5 1/4" x 7/8". Backset: 2 5/16".



NIGHT LATCHES DEADLOCKS PADLOCKS




330




330XL

For 330 L see chart at bottom.

330B
Bicycle Lock**PADLOCKS**


Heavy duty disc tumbler Padlocks, rust proof construction. Can be supplied keyed alike, and keyed alike to special combinations. Two milled brass keys. Available in dull brass. (4) finish only.



262 - 268

262 STANDARD RIM NIGHT LATCHES

Standard size heavy duty Night Latch with giant locking bolt, $\frac{5}{8}$ " throw. For rim application on doors $1\frac{1}{4}$ " to $2\frac{3}{4}$ " thick. For doors over $2\frac{3}{4}$ " thick, extra long connecting screws and connecting bars can be supplied at small additional cost. Pressed steel strike for doors opening out, supplied on request. No. 262 night latch has "one-hand" action feature.




272 - 278

276

272, 276, AND 278 UTILITY RIM LATCHES

Provide protection at low cost and are adaptable to various rim latch applications requiring narrower than standard back sets; for thin doors, cupboards, overhead garage doors, etc.



601-602

602DC

601, 602 AND 602DC JIMMY PROOF DEADLOCKS

For Maximum Security. Suitable for all applications. DOMINION Deadlocks feature: Heavy Duty construction — Steel bolts with saw proof hardened steel inserts and fool proof mounting. Only one quarter turn of key required to lock positively, or unlock.

| No. | CYLINDER | MASTER KEYING | KEY CHANGES | STD. KEY BLANK | CARTON CONTAINS | SHIPPING WEIGHT/LBS. | FINISHES |
|-------|------------------|---------------------|-------------|----------------|-----------------|----------------------|----------|
| 262 | #19 Solid Brass | Master Keyed | | L54F | 36 | 58 | 4,27 |
| 268 | #39 Pin Tumbler | Not Master Keyed | | L54F | 36 | 55 | 4,27 |
| 272 | #39 Pin Tumbler | | Unlimited | L54F | 36 | 34 | 4 |
| 276 | #37 Disc Tumbler | | 200 | 54LB | 36 | 34 | 4 |
| 278 | #37 Disc Tumbler | | 200 | L54B | 36 | 34 | 4 |
| 601 | #39 Pin Tumbler | Not Master Keyed | | L54F | 36 | 63 | 4,27 |
| 602 | #19 Solid Brass | Can be Master Keyed | | L54F | 36 | 66 | 4,27 |
| 602DC | #19 Solid Brass | Can be Master Keyed | | L54F | 12 | 28 | 4,27 |

PADLOCKS

| No. | CASE WIDTH | CASE LENGTH | SHACKLE DIAM. | SHACKLE OPENING | KEY BLANK | STD. CARTON CONTAINS | SHIPPING WEIGHT/LBS. |
|-------|------------|-------------|---------------|-----------------|-----------|----------------------|----------------------|
| 330 | 1 1/2" | 1 1/2" | 1/4" | 3/4" | S54B | 144 | 58 |
| 330L | 1 1/2" | 1 1/2" | 1/4" | 1 1/2" | S54B | 36 | 12 |
| 330XL | 1 1/2" | 1 1/2" | 1/4" | 2 1/2" | S54B | 36 | 16 |
| 330B | 1 1/2" | 1 1/2" | 1/4" | 6" | S54B | 36 | 20 |



DURALOCK CYLINDRICAL LOCKSETS

Complete line of master crafted cylindrical locksets. These quality cylindrical locksets can replace practically any make of lockset, cylindrical and others.


The ideal replacement set for the locksmith (see modernization kit below) selected by architects and builders.

- All steel working parts.
- Solid brass pin tumbler cylinders.
- Latest styling.
- Fits standard replacement requirements.


Note:

Boring jigs available for fast fool-proof installation (see Page 77).

MODERNIZATION KITS



2500




Sales booster for the locksmiths. Saves time of patching doors. Covers marks of old escutcheon plate. Results in beautiful new appearance. Sell and install a kit and a lockset. Kit comes in individual package containing all plates and fittings. Order lockset separately.

ALSO AVAILABLE Bedroom 2502
FOR INSIDE Passage 2502
SETS. ORDER: Bathroom 2504

MOUNTING INSTRUCTIONS:

For cylindrical case, bore $2\frac{1}{8}$ " hole through door $2\frac{3}{8}$ " from edge of door. For latch case bore $15/16$ " hole through to previous hole. Cut mortise for lock face $1"$ x $2\frac{1}{4}$ " x $5/32$ " deep. $1"$ x $2\frac{1}{4}$ " strike with curved lip $1\frac{1}{8}$ " to centre is regularly furnished with open back. Wrough box can be supplied on request.



C-251

AVAILABLE FUNCTIONS

| | | |
|------------------------------------|--------|--|
| Exterior Door | C250 | Bedroom Door (De Luxe) C257 |
| Exterior Door (Wafer Cylinder) | C250W | Bathroom Door (De Luxe) C258 |
| Classroom Lock | C250CR | Terrace Door (De Luxe) C259 |
| Closet Lock | C250CS | Exit Lock (De Luxe) C256RK |
| Exterior Door (Double Cylinder) | C250DC | Exit Lock (De Luxe) C257TB |
| Corridor Lock | C250EC | Communicating Door (De Luxe) C257CL |
| Office Door | C250F | Exterior Door(2 1/4") C250 x 2 1/4" |
| Hotel or Motel Lock | C250M | Passage Door (Standard) C252 |
| Store Room Lock | C250SR | Bedroom Door (Standard) C253 |
| Service Station Lock | C250SS | Bathroom Door (Standard) C254 |
| Passage Door (De Luxe) | C256 | Terrace Door (Standard) C255 |
| Closet Door (De Luxe) | C256CS | Closet Door (Standard) C252CS |
| | | Exit Lock (Standard) C252RK |

NOTES:

1. The above numbers specify "Classic Style" Tulip knob. Can be supplied with "Royal Style" round knobs by omitting C on number, i.e., C250 becomes 250.
2. Can be supplied with deadlock feature, if desired, example: 250 becomes 251, C250 becomes C251.

Set numbers 259, 256RK, 257TB, 257CL, 252RK, can be supplied with deadlock feature if desired, by adding to the prefix D. EXAMPLES: 259 becomes D259 — C259 becomes CD259

SPECIFICATIONS

KNOBS: Wrought brass both $2"$ or $2\frac{1}{8}$ " diameter. PROJECTION $2"$ on $1\frac{3}{4}$ " door, $2\frac{3}{16}$ " on $1\frac{1}{8}$ " door.

ROSETTES: Wrought brass, no screws, snap on $2\frac{9}{16}$ " diameter.

LATCH FACE: Wrought brass $1"$ x $2\frac{1}{4}$ ".

LATCH CASE: Stamped steel drawn. $\frac{7}{8}$ " bore.

BACKSET: $2\frac{3}{8}$ ".

CYLINDER: 5 pin tumbler or wafer tumbler, brass body and plug.

LATCHBOLT: Solid brass $\frac{3}{8}$ " extension.


FINISHES AND SYMBOLS

| | | | |
|-----------------|----|-----------------|-----|
| POLISHED BRASS | 3 | DULL NICKEL | 15 |
| DULL BRASS | 4 | BLACK | 19 |
| TWO TONE BRASS | T3 | POLISHED CHROME | 26 |
| DULL BRONZE | 10 | DULL CHROME | 26D |
| POLISHED BRONZE | 9 | SATIN SILVER | |
| POLISHED NICKEL | 14 | SATIN ALUMINUM | 27 |

SELLING AIDS

Colourful sales promotion booklet with full description of all functions, accessories, etc., available in both French and English upon request. Space provided to advertise own name.

Smart new mounts have a maximum point of sale effectiveness.




D3




RESIDENT LOCKSETS

**C240
KEYLOCK**




Push Button locks outside knob. Lock opened by key in outside knob or by turning inside knob when outside is locked.
Available with deadlock feature. order C241.

**C242
PASSAGE SET**




Latch is operated by knobs from either side at all times.

**C245
TERRACE SET**



Operates by knobs from either side except when outside knob is locked by push button on inside knob. When so locked, no means of entrance is provided. Inside knob in operation at all times. Lock is automatically released by turning inside knob or depressing latch bolt.

**C243
C244
BEDROOM
SET AND
BATHROOM
SET**



Operates same as above except for emergency unlocking which is accomplished by inserting nail or similar object through hole in inside rose.

Trouble-free lockset for the homeowner.

- All steel and brass construction.
- Complete residential line.
- Economical.
- Preassembled for quick trouble-free installation.

Decorative trim for distinctive door applications.

Colourful sales promotion literature with space to advertise own name is available in both French and English upon request.

INSTALLATION TOOLS



1UBJ BORING JIG

Precision-made professional tool that eliminates template marking of door and insures accurate and rapid boring. The latch hole centres automatically.


RB31 BIT

Double blade with 2-way shank for hand or electric drill. Fine alloy steel.

RM30 MORTISER

Tough tempered steel; light weight, accurate. Edges can be resharpened.

MOUNTING INSTRUCTIONS



Requires drilling of two holes only and slight mortising for lock front and strike.

SPECIFICATIONS

Knobs: Tulip design

Backset: Full 2 3/8" and 5".

Rose: 2-7/16" Diameter.

Knob Projection: 2 1/4".

Front: 2 1/4" x 1" x 1/8".

Strike: Lip to Center; 1 3/4".

For doors 1 1/8" to 1 3/4" thick.

Reversible by turning of latch (No changing parts): Wrought brass, bronze and aluminum finishes: Wrought steel plated case 13/16" x 9/16" x 3": Five pin cylinder all-brass construction: Two special hard brass keys.

DISPLAY MOUNTS AND PACKAGE



Rich appearing escutcheon designs gives a wider choice for distinctive door applications. Display mounts are available on order.



This colourful package permits the selection of Dominion Resident at a glance.

**R22 Mount with
R83 Escutcheon R22 Mount with
R85 Escutcheon**

**R88
GRIP HANDLE SET**

Available in wrought brass, bronze and aluminum finishes.






IDEAL INSIDE LOCKSETS

PACKAGING for door knobs




LATCHES and STRIKES



SPINDLES




ROSES



KNOBS



MOUNTING INSTRUCTIONS



REPLACEMENT PARTS

The door knobs, roses, latches and spindles shown here as replacement parts are standard in size and function and can be used for the replacement of similar Tubular Lockset parts of various manufacture.

To facilitate over the counter sales, we provide knobs in pairs, with a spindle all packaged in an attractive individual box. The knob pair box also includes the roses when so ordered.

The latches are packed in individual containers.

This handy and attractive packaging does much to promote an important volume of sales; no hardware dealer should be without replacement knobs, roses and latches.

Truly the IDEAL economy class, tubular inside lockset line. These quality features make this set a first class seller and perfect for replacement.

- Sturdy time tested steel latch.
- Non-rusting trim.
- Latest design Tulip Knobs.
- All functions.


Note: Boring Jigs available for fast fool-proof installation (See Page 77).

Colourful sales promotion literature with space to advertise own name available in both French and English upon request.



PASSAGE SETS




Latch bolt operated by either knob at all times.



Locked by moving slide on inside rose; has automatic kick-off in case set is automatically locked with door open. Emergency key operates through opening in outside rose.



Operation same as bedroom sets. Inside knob and trim are polished aluminum. On glass knob sets inside trim is bright nickel plated.



Operation same as bedroom sets, without emergency release provision. Lever Handle Set available for Combination Wood Doors $1\frac{3}{8}$ " to $1\frac{3}{4}$ " thick.



Regular knob outside, thumb-turn inside. Operated by knob or thumb-turn at all times.

TERRACE SETS

CLOSET SETS

SPECIFICATIONS

CLASSIC KNOBS: $1\frac{1}{8}$ " Diameter, non-ferrous, rust proof.

ROYAL KNOBS: 2" Diameter, rust proof.

GLASS KNOBS: $2\frac{1}{8}$ " Diameter, Crystal-Clear fluted glass.

ROSES: $2\frac{1}{8}$ " Diameter.

LATCH: Steel Construction, Reversible.

FRONT: 1" x $2\frac{1}{4}$ ". **BACKSET:** $2\frac{3}{8}$ ".

FINISHES

ROYAL & CLASSIC KNOBS

Dull Brass — 4


Dull Bronze — 10

Satin Alum. — 27

GLASS KNOBS

Dull Brass — 4

DISPLAY MOUNTS



PACKAGING



IDEAL Locksets are individually packed in these attractive boxes for best sales results.

These rich point of sale displays are "silent salesmen". Modern in design, they combine maximum sales effectiveness with minimum counter space.


**COMPARATIVE
LISTS**

| HURD | ILCO | ILCO | ILCO | ILCO | ILCO | ILCO |
|--------|-------|---------|-------|-----------|---------|--------|
| 9025RH | 125CN | 997B | 7B | 1001EA | 01EA | 1025 |
| 9026 | 125H | 997D | 7D | 1001EB | 01EB | 1026 |
| 9027RH | 125C | 997DA | 7DA | 1001EG | 01EG | 26 1/2 |
| 9027LH | 125CR | 997DB | 7DB | 1001EL | 01EL | 27 |
| 9032 | 125C | 997E | 7E | 1001EN | 01EN | 1028D |
| 9039 | 125C | 997EB | 7EB | 1001JB | 01JB | 28DS |
| 9040 | 125G | 997ER | 7ER | 1001JL | 01JL | 28DY |
| 9041 | 125C | 997F | 7F | 1001JR | 01JR | 31 |
| 9043 | 125C | 997G | 7G | A1001MF | A01MF | 33 |
| 9044 | U122R | 997GR | 7GR | R1001EE | R01EE | 33A |
| 9046 | U122A | 997GX | 7GX | R1001EF | R01EF | 33C |
| 9047 | 98DB | 997GXR | 7GXR | R1001EG | R01EG | 33N |
| 9058 | 125K | 997X | 7X | R1001EL | R01EL | 33Z |
| 9059 | 125M | J997M | J7M | R1001EN | R01EN | 34 |
| 9070 | 127 | J997MR | J7MR | 1002 | 02 | 34A |
| 9071 | 127A | 0997A | U7A | 1002A | 02A | 34H |
| 9072 | 127B | 0997E | U7E | 1002B | 02B | 36 |
| 9073 | 127C | R997DA | R7DA | 1003 | 03 | 36S |
| 9082 | 127D | 998 | 8 | 1004 | 04 | 36U |
| 9083 | 127E | 998A | 8A | 1004A | 04A | 37D |
| 9086 | 127J | 998GA | 8GA | 1004N | 04N | 41C |
| 9087 | 127H | 998GB | 8GB | 01004 | U04 | 41D |
| 9090 | 127K | 998GC | 8GC | 1007 | 07 | 41G |
| 9091 | 127L | 998GD | 8GD | 1007A | 07A | 41GA |
| 9098 | 127P | 998GE | 8GE | 1007KMA | 07KMA | 41GB |
| 9099 | 127N | 998GF | 8GF | 1007KMB | 07KMB | 41GR |
| 9518 | 127M | 998GG | 8GG | 1007LA | 07LA | 41H |
| 9520 | 127MP | 998GH | 8GH | 1007LB | 07LB | 41K |
| 9521 | 127KS | 998GK | 8GK | 1007LC | 07LC | 1062VO |
| 9522 | 127PP | 998R | 8R | 1007LD | 07LD | 63W |
| 9523 | 127NS | 998S | 8S | 1007LE | 07LE | 1062X |
| 9524 | 127DP | D998GA | D8GA | 1007LF | 07LF | 62Y |
| 9525 | 127ES | D998GB | D8GB | 1007LG | 07LG | A1062A |
| 9526 | 127TP | D998GC | D8GC | 1007LH | 07LH | A1062L |
| 9530 | H98LA | D998GD | D8GD | 1007LJ | 07LJ | A62A |
| 9531 | U98LA | D998GE | D8GE | 1007LK | 07LK | A62L |
| 9532 | 703K | D998GF | D8GF | 1007LL | 07LL | B1062P |
| 9533 | 701G | D998GG | D8GG | 1007RA | 07RA | B62Q |
| 9534 | H98M | D998GH | D8GH | 1007RB | 07RB | R1062P |
| 9535 | 98M | D998GK | D8GK | 1007RC | 07RC | R62P |
| 9537 | 759L | N998SA | 9LA | 1007RE | 07RE | R62Q |
| 9539 | U759L | N998SB | 9LB | 1007RF | 07RF | 1069 |
| | | N998SC | 9LC | 1007RG | 07RG | 69 |
| | | N998SD | 9LD | 1007RJ | 07RJ | 1069C |
| | | N998SE | 9LE | 1007RK | 07RK | M69C |
| P1 | P1 | N998F | 9LF | 1007RL | 07RL | 1069FL |
| 2M | 2M | N998SG | 9LG | 1007RMA | 07RMA | 1070 |
| P2 | P2 | N998SH | 9LH | 1007RMB | 07RMB | 70 |
| 3AM | 3AM | 999 | 9 | 01007LA | U07LA | 1070R |
| 3M | 3M | 999A | 9A | 1008 | 08 | 70R |
| P3 | P3 | 999B | 9B | 1008A | 08A | 72 |
| 4BM | S4BM | 999C | 9C | 1009 | 09 | 1041W |
| P4 | P4 | 999CA | 9CA | 1009A | 09A | 1041Y |
| 5M | S5BM | 999CR | 9CR | 01009 | U09 | 47CR |
| P5 | P5 | 999E | 9E | 1010 | 10 | 1047CR |
| P6 | P6 | 999GA | 9GA | 1010A | 10A | 1041N |
| 7M | 7M | 999GB | 9GB | 01010 | U10 | 1041T |
| P7 | P7 | 999GC | 9GC | 01010A | U10A | 1041Y |
| P8 | P8 | 999GD | 9GD | 1011 | 11 | 1047M |
| 9M | 9M | 999GE | 9GE | 1011M | 11M | 1047A |
| P9 | P9 | 999GF | 9GF | 1011P | 11P | 1047B |
| P10 | P10 | 999GG | 9GG | 1011-04A | 11-04A | 1047C |
| 11AM | 11AM | 999GH | 9GH | 1011-04AS | 11-04AS | 1047D |
| P11 | P11 | 999GK | 9GK | A1011P | A11P | 1047E |
| P12 | P12 | 999R | 9R | 1012 | 12 | 1047F |
| 14AM | 14AM | 999RA | 9RA | 1013 | 13 | 1047G |
| 14BM | 14BM | C999 | C9 | 1013BF | 13BF | 1047H |
| 14CM | 14CM | 1000 | 00 | 1013F | 13F | 1047I |
| 17M | 17M | 1000A | 00A | 1014 | 14 | 1047L |
| 18M | 18M | 1000AB | OOAB | 1014D | 14D | 1047M |
| 22M | 22M | 1000F | OOF | 1014DA | 14DA | 1047N |
| 23M | 23M | 1000FR | OOFR | 1014DB | 14DB | 1047O |
| 24M | 24M | 1000FX | OOFX | 1014DR | 14DR | 1047P |
| 34M | 34M | 1000G | OOG | 1014DX | 14DX | 1047R |
| T44 | T44 | 1000H | 00H | 1014F | 14T | 1047T |
| 49M | 49M | 1000T | OOT | 1014J | 14J | 1062MA |
| 54M | 54M | 1000V | OOV | 1014K | 14K | 62MA |
| 66M | 66M | 01000F | UOOF | X1014F | U14T | 1062MS |
| 67M | 67M | 01000G | UOOGX | 1016 | 16 | 62N |
| 68M | 68M | 01000G | UUOGR | 1016N | 16N | 1062P |
| 73M | 73M | 01000H | UUOH | 1016NB | 16NB | 62P |
| 991 | 1 | R1000V | ROOV | 1019 | 19 | 1062Q |
| 992 | 2 | X1000F | XOOF | 1019A | 19A | 62QB |
| 994ARM | 4ARM | X1000FR | XOOFR | 1019D | 19D | 62QS |
| 994M | 4M | X1000KC | XOOKC | 1019DA | 19DA | 62QT |
| 995M | 5M | 1001 | 01 | 1019R | 19R | 1114A |
| 996M | 6M | 1001A | 01A | 1022 | 22 | 1114B |
| 997 | 7 | 1001AB | 01AB | 01022 | U22 | 1114C |
| 997A | 7A | 1001E | 01E | 01022A | U22A | 1114D |
| | | | | | | 1114E |
| | | | | | | 1119 |



COMPARATIVE LISTS

| SARGENT | STAR | SUPER | TAYLOR |
|---------------|-------------|-------------|-------------------|
| 265BB 08 | 5PE1 16N | LE1 01EL | 21EL 01EL |
| 265BJ 07 | HPL1 X199G | LG10 H98LA | 21EN 01EN |
| 265BK 10 | HPL1 X199F | LH1 125H | R21EL R01EL |
| 265BR 09 | OPL1 XU199G | LH3 125G | R21EN R01EN |
| 265BU 110 | OPL1 XU199F | LH4 125E | 23 01 |
| 6265BB 08A | HPL2 X199B | LJ3 U122A | 23A 01AB |
| 6265BJ 07A | OPL2 XU199B | LK5 04A | 30 02B |
| 6265BK 09A | HPL3 X199J | LB6 L54B | 35 04 |
| 6265BR 10A | OPL4 759L | LM4 98M | 35A 04A |
| 6270BLN 07KMA | OPL5 U759L | LM7 H98M | 41G 41G |
| 6270BRN 07RMA | 5P01 34 | L011 U98LA | 41GA 41GA |
| | 5P02 34H | LR7 69 | 41GR 41GR |
| SCHLAGE | | | |
| 920A 707A | 5RE1 19 | LR9 09 | 41H 41H |
| 923C 145 | 5RE2 19D | LU10 U10 | 43 07 |
| 923F 145F | R01 69 | LX97 7X | 43A 07A |
| 923E 145E | R02 64A | LX98 U7E | 46 08 |
| 923G 145G | R03 M69C | LX99 J7M | 46A 08A |
| 923J 145J | 5RU1 11 | LY19 8 | 48 09 |
| 923H 145H | 5RU2 11P | LY20 9A | 48A 09A |
| 924C 145A | 5RU4 11M | LY90 9 | 48KM 07KMB |
| 924F 145F | 5SA1 U10 | LY91 C9 | 050 U10 |
| 924E 145E | 5SA2 09 | ONP16 16N | 050A U10A |
| 924G 145G | 5SA3 07KMB | PC49 X199F | 50 10 |
| 924J 145J | 5SA4 07 | PC49 X199G | 50A 10A |
| 924H 145H | 5SA5 10 | PD47 X199B | 54 54 |
| | 5SA6 07RMB | PK54 54K | 54F 54F |
| | 6SA6 07RMA | PK105 54F | 54KD 54KD |
| KEIL | | | |
| 2454 18M | *SLAYMAKER | SSE1 22 | 11 54KS |
| 2506 3M | | SSE2 U22 | 11P 54KT |
| A2506 2M | K220BM | 5SH1 145 | X199AR 54LB |
| A2515 7M | K220EM | 6SH1 145A | RO1EN H54B |
| B2516 49M | K222B | SH2 707A | RO1EL L54B |
| 2584 68M | K222EM | 6SH3 145L | SL22 22 X54F |
| 2640 67M | | 5SN1 177 | SM5 07KMB X54K |
| 2659 S4BM | | 5TA1 141 | T40 H122M X54W |
| 2684 73M | STAR | 5TA2 141JL | TC49 XU199F X54WA |
| 2765 9M | 6BE1 114A | 5TA4 141E | TP47 XU199B 55 |
| 2766 66M | HBR1 H98M | H122M 22 | 55M 11 |
| 2888 11AM | 0BR1 98M | 141GE 141 | 55P 11M |
| 2917 17M | HBR2 H98LA | TA3 141 | 60 12 |
| 3097-3/8 54M | 0BR2 U98LA | H122M 141JL | 60 13 |
| | CG1 41G | VW1 141E | TP47 XU199F 55 |
| | 5C01 01EN | 5WE1 141 | XU199B 55M |
| LOCKWOOD | (DL) | 5C02 01EB | R1 11 54KS |
| 308B 04 | | 5C03 01EG | RR1 11P 54KT |
| 310B 04A | | 5C04 01EA | X199AR 54LB |
| 312B U04 | | 5C05 00 | RO1EN H54B |
| 367B 54LB | | 5C06 01 | RO1EL L54B |
| MASTER | (DL) | 5C07 01EN | SH2 707A |
| 1K 92 | | 6C02 01EB | 145 54LB |
| 7K 92B | | 6C03 01EG | SE10 X199AR |
| 22KL 686B | | 5C08 00 | 6SH1 145 |
| 22KR R686B | | 5C09 RO1EF | 6SH1 145A |
| 44K 687Y | | 5D01 54KD | SH2 707A |
| 55K 687X | | 5E01 A54F | 145L SK05 |
| 66K 687W | | 6C05 RO1EN | SK05 145A |
| 77K 92 | | 5E02 RO1EG | SH2 707A |
| 99K 687W | | 6C06 COG | 145L SK06 |
| 105K 686C | | LC07 OOF | 145L 145 |
| 310K N686R | | 4EA4 00V | SE10 145A |
| 500KC 686E | | 5C08 X00KC | SK05 145A |
| 500KK R686E | | 5C09 RO1EF | SH2 707A |
| 500KL 686E | | 5D01 54KD | 145L SK06 |
| 500KR R686E | | 5E01 A54F | 145L 145 |
| 510K N686R | | 6C05 RO1EN | SE10 145A |
| 1100K 686B | | 5E02 RO1EG | SK05 145A |
| PENN | (DL) | 5C06 COG | 5YA1 9 |
| 510B 16 | | 6C06 OOF | 5YA2 C9 |
| | | LC07 00V | 5YA2 47CR |
| | | 4EA4 14D | 5YA3 47CR |
| | | 5C08 X00KC | 5YA3 8 |
| | | 5C09 RO1EF | X199A KRO7NX |
| | | 5D01 54KD | X199A KRO7NX |
| | | 5E01 A54F | X199A K122AR |
| PETERBORO | (DL) | 5E02 14T | 5YA4 X199AR |
| 107 72 | | 5C06 14T | 5YA5 X199AR |
| 108 34 | | 6C02 14 | 4YA6 7X |
| 109 34A | | 5C03 14 | 6YA7 8R |
| 110 34H | | 5C04 14 | YJ1 U122A |
| 110B 34N | | 5C05 14 | YJ2 U122AR |
| RUSSWIN | (DL) | 5C06 14T | YJ3 U122 |
| 752B 12 | | 6C06 127ES | YJ4 U122B |
| 852B 11 | | HFD4 127ES | YJ4 U122B |
| 981B 11P | | HFD5 127MP | EL09 96L |
| | | OFD5 127KS | EP14 14DX |
| | | HFD6 M127A | FK49 X199A |
| | | 5H01 170 | M127A FK50 K122AR |
| | | 5I11 54F | J14 14J |
| | | 5I12 54K | JR22 U122 |
| | | 5I13 54 | KL79 79 |
| | | 5I14 X54K | KL107 79B |
| | | 5I17 X54F | L4 04 |
| | | 5I17 L54B | L22 U122AR |
| | | 5I5 1L5 | L92 92 |
| | | 5KE1 79B | LB54 L122A |
| | | 5KE2 79 | LC00 00 |
| | | 5KW1 176 | LC01 01 |
| | | 5L01 04 | LCE03 01EB |
| | | 6L01 04A | LCN04 01EN |
| | | MA1 92 | LCV10 00V |
| | | 4MA2 92B | LD1 U199A |
| SARGENT | (DL) | 5PE1 16N | LE1 01EL |
| STAR | (DL) | HPL1 X199G | LG10 H98LA |
| SUPER | (DL) | X199F | LH1 125H |
| TAYLOR | (DL) | XU199G | LH3 125G |



**KEY
BLANKS
FOR
FOREIGN
VEHICLES**

| NAME OF VEHICLE | ORIGIN OF VEHICLE | KEY BLANK No. | MAKE OF LOCK |
|---------------------|-------------------|--|--------------|
| ALFA-ROMEO | ITALIAN | 61G, L61G, LR61G, R61G | SAFE |
| | | 63ST, R63ST | SIPEA |
| | | 61H, R61H | TRAMA |
| ANGLIA | BRITISH | S62DP | UNION |
| ARIEL MOTOR-CYCLES | BRITISH | R62DH | UNION |
| ASTON-MARTIN | BRITISH | 62DP, H62DP | UNION |
| AUSTIN | BRITISH | 62DC, 62DG, 62DH, 62DP | UNION |
| BENTLEY | BRITISH | 7K, 62HA, 62HB | YALE |
| B.M.W. | GERMAN | 63Y | HUF |
| | | 61N | NEIMAN |
| | | 62VO | WITTE |
| BORGWARD | GERMAN | H62VG, 63F, 65M | BOMORO |
| | | 62VB, R62VB | HUF |
| | | 61N | NEIMAN |
| | | 63B | PORSCHE |
| *BRITISH CARS | | 61SA, 61SB | STRONIS |
| | | 62DC, 62DE, 62DF, 62DG, 62DH, 62DM, 62DO, 62DP, 62DT, H62DP, S62DP | UNION |
| | | M62D (Master Key blanks for 62DC, DE, DG, DH, DK, DM, DO) | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| B.S.A. MOTOR-CYCLES | BRITISH | R62DH | UNION |
| CITROEN | FRENCH | 62R, 62U, 62UC, 62Z, R62Z | RONIS |
| CONSUL | BRITISH | S62DP | UNION |
| COSMO | GERMAN | 64K | KEIPER |
| CRESTA | BRITISH | H62DP | UNION |
| D.B. | FRENCH | 62RS | RONIS |

*—BRITISH CARS INCLUDE:

A-C ACE, ANGLIA, ARNOLD-BRISTOL, ASTON-MARTIN, AUSTIN, B.S.A. (MOTOR-CYCLES), CONSUL, CRESTA, ESCORT, ESQUIRE, HILLMAN, JAGUAR, M.G., MORGAN, MORRIS, NASH METROPOLITAN, PREFECT, RILEY, ROVER, STANDARD, SUNBEAM, THAMES, TRIUMPH, VANGUARD, VAUXHALL, VELOX, ZEPHYR, ZODIAC.

| NAME OF VEHICLE | ORIGIN OF VEHICLE | KEY BLANK No. | MAKE OF LOCK |
|-----------------|-------------------|--|---------------|
| D.K.W. | GERMAN | X63, 65M | BOMORO |
| | | 62VG, R62PE | HUF |
| | | 61N, 61NA, H61VM, H61VO | NEIMAN |
| | | 63 | PORSCHE-LLOYD |
| | | 62VO | WITTE |
| | | 62VM, R63E | YMOS |
| ENVOY | BRITISH | H62DP | UNION |
| FIAT | ITALIAN | 65M | BOMORO |
| | | 61J, Y62, YR62 | FIST |
| | | DR61F | MARELLI |
| | | 61G, 61GA, R61G | SAFE |
| | | 61D, 61E, 61F, R61D, R61E, 63ST, R63ST | SIPEA |
| | | 61H, R61GA, R61H | TRAMA |
| | | | |
| GOLIATH | GERMAN | 65M | BOMORO |
| | | 62VG, R62VB, R63Y | HUF |
| HILLMAN | BRITISH | 61SA, 61SB, 61SC | STRONIS |
| | | 62DC, 62DG, 62DT, H62DP | UNION |
| | | | |
| HUMBER | BRITISH | 62DG, 62DP, 62DT | UNION |
| ISETTA | GERMAN | R62VB | HUF |
| | | 63E | YMOS |
| JAGUAR | BRITISH | 62DG, 62DH, 62DK, 62DP, H62DP | UNION |
| LAMBRETTA | ITALIAN | 62VA | HUF |
| | | 125C | HURD |
| LANCIA | ITALIAN | 65M | BOMORO |
| | | 62VA, 63K, 63W, R63K | HUF |
| | | 61N, 61NA, R61NA | NEIMAN |
| | | 61H, R61H | TRAMA |
| LLOYD | GERMAN | 127L | HURD |
| | | 63B | PORSCHE |
| | | 63 | PORSCHE-LLOYD |
| | | M63B | VOLVO |
| | | MR63E | YMOS |
| | | 138 | |
| | | | |
| MATADOR | GERMAN | 63 | PORSCHE-LLOYD |



**KEY
BLANKS
FOR
FOREIGN
VEHICLES**

| NAME OF VEHICLE | ORIGIN OF VEHICLE | KEY BLANK No. | MAKE OF LOCK |
|-----------------|-------------------|---|---------------|
| MERCEDES-BENZ | GERMAN | 62VA, R62VN, 63K, 63W, M63E, R63K, R63W, U63H | HUF |
| | | 61N, 61NA, 61NC, H61NA, H61VM, 63JA, 65K | NEIMAN |
| | | 63B | PORSCHE |
| | | M63B | VOLVO |
| | | 62VJ, 63E, MR63E | YMOS |
| M.G. | BRITISH | 62DP, H62DP | UNION |
| MORETTI | ITALIAN | R61G | SAFE |
| | | 61D | SIPEA |
| | | 66A, 66B | SPOM |
| MORRIS | BRITISH | 62DP, 62DT, H62DP | UNION |
| N.S.U. PRINZ | GERMAN | 63Y | HUF |
| OPEL | GERMAN | 65M | BOMORO |
| | | 62PE, 62VN | HUF |
| | | 62VO | WITTE |
| | | 62VJ, L62VJ | YMOS |
| PANHARD | FRENCH | 62BZ, R62BZ, P64H, P64K P65A, P65B, P65C, P65D | DUBOIS |
| PEUGEOT | FRENCH | 62R | RONIS |
| | | 63G | KIFERM |
| | | 63M, 63Q | NEIMAN |
| | | 62Z, R62Z, 63P | RONIS |
| | | V61S | SEIMS-ROMANS |
| PORSCHE | GERMAN | R62VN, U63H | HUF |
| | | 64K | KEIPER |
| | | 61NC | NEIMAN |
| | | 63B, S63B | PORSCHE |
| | | 63 | PORSCHE-LLOYD |
| | | M63B | VOLVO |
| PREFECT | BRITISH | S62DP | UNION |
| RENAULT | FRENCH | 62VC | HUF |
| | | 64R | KIFERM |
| | | 63M, 63Q, H199N | NEIMAN |
| | | 62R, 62U, 62Z, R62Z | RONIS |
| RILEY | BRITISH | 62DP, H62DP | UNION |
| ROLLS ROYCE | BRITISH | 7K, 62HA, 62HB | YALE |
| ROVER | BRITISH | 62DP | UNION |

| NAME OF VEHICLE | ORIGIN OF VEHICLE | KEY BLANK No. | MAKE OF LOCK |
|-----------------------|-------------------|--|-------------------|
| SAAB | SWEDISH | H98X | BRIGGS & STRATTON |
| | | 62DG | UNION |
| SIMCA | FRENCH | 63G, H63G, R63G | KIFERM |
| | | 61P, 61PC, R61P, 62R, 62RS, 62U | RONIS |
| SINGER | BRITISH | 61SC | STRONIS |
| SKODA | CZECHOSLOVAKIAN | 65CA, F65, 139 | FAB (Skoda) |
| STANDARD | BRITISH | 62DP, H62DP | UNION |
| SUNBEAM | BRITISH | 61SC | STRONIS |
| | | 62DP, H62DP | UNION |
| TAUNUS | GERMAN | 65T, R65T | CASI |
| | | R62VB, R63Y | HUF |
| | | R63E | YMOS |
| TEMPO | GERMAN | 65M | BOMORO |
| | | 62VA | HUF |
| TRIUMPH | BRITISH | 62DP, H62DP | UNION |
| VAUXHALL | BRITISH | 61SA, 61SB | STRONIS |
| | | 62DG, 62DN, H62DP | UNION |
| VANGUARD | BRITISH | 62DP, H62DP | UNION |
| VELOX | BRITISH | H62DP | UNION |
| VESPA | ITALIAN | 62VA | HUF |
| | | V61, V61S | SEIMS-ROMANS |
| VIKING | GERMAN | 138 | |
| | | 63 | PORSCHE-LLOYD |
| VOLKSWAGEN | GERMAN | 62VA, 62VB, 62VC, 62VG, A62VC, H62VB, U62VN | HUF |
| | | 61N | NEIMAN |
| | | 62VE, 62VO, U62VB W62VB, W62VE | WITTE |
| | | | |
| VOLVO | SWEDISH | S61W | ASSA |
| | | 98X | BRIGGS & STRATTON |
| | | 62DP | UNION |
| | | M63B | VOLVO |
| WOLSELEY | BRITISH | 62DB | UNION |
| ZEPHYR | BRITISH | S62DP | UNION |
| ZODIAC | BRITISH | S62DP | UNION |
| ZUENDAPP MOTOR-CYCLES | GERMAN | 65J | NEIMAN |



**AUTOMOBILE
KEY
CHART
(1960)**

For your up-to-date reference, a new AUTOMOBILE KEY CHART will be supplied annually

| Car | Year | Door and Ignition | Glove and Trunk | Car | Year | Door and Ignition | Glove and Trunk |
|------------------------|--------------|-------------------|-----------------|-------------------------|-------------------|-------------------|-----------------|
| BUICK | 1935-to date | H98LA | U98LA | JEEP | Early Models | 125CR | |
| CADILLAC | 1935-to date | H98LA | U98LA | | 1958-to date | 98DB | |
| CHEVROLET | 1935-to date | H98LA | U98LA | KAISER | 1947-48 | H122F | H122FR |
| CHRYSLER and IMPERIAL | 1939-45 | H199B | U199B | FRASER | 1949-50 | X199A | K122AR |
| | 1946 | 125H | 125CN | | 1952-to date | K122AR | K122AR |
| | | H199B | U199B | LARK | 1959-to date | X199AR | L122A |
| | | | 98M | LINCOLN and CONTINENTAL | 1939-48 | 125H | 125CN |
| | 1947-48 | X199B | XU199B | | 1949-50 | 125E | 125G |
| | | | 98M | | 1951 | 125K | 125M |
| | 1949-55 | X199G | XU199G | | 1952 | 127 | 127A |
| | | | 98M | | 1953-56 | 127B | 127C |
| | 1956 | X199J | XU199G | | 1957 | 127K | 127L |
| | 1957-58 | 705K | XU199G | | 1958 | 127T | 127L |
| | 1959-to date | 705K | 759L | | 1959-to date | 127TP | 127LS |
| CORVAIR | 1960 | H98LA | H98LA | MERCURY | 1938-48 | 125H | 125CN |
| DART | 1960 | 707K | 759L | | 1949-50 | 125E | 125G |
| DESOTO | 1939-45 | H199B | U199B | | 1951 | 125K | 125M |
| | 1946 | 125H | 125CN | | 1952 | 127 | 127A |
| | | H199B | U199B | | 1953-56 | 127B | 127C |
| | | | 98M | | 1957-58 | 127J | 127H |
| | 1947-48 | X199B | XU199B | | 1959-to date | 127MP | 127KS |
| | | | 98M | METEOR | 1959-to date | 127MP | 127KS |
| | 1949-55 | X199G | XU199G | METROPOLITAN | 1960 | 62DP | H62DP |
| | | | 98M | MONARCH | 1959-to date | 127DP | 127ES |
| | 1956 | X199J | XU199G | NASH | Prior to 1935 | U98LA | |
| | 1957-58 | N704K | XU199G | | 1935 | 98M | H98M |
| | 1959-to date | N704K | 759L | | 1935-57 | 98M | U98LA |
| DODGE | 1939-45 | H199B | U199B | | | 98M | H98M |
| | 1946 | 125H | 125CN | OLDSMOBILE | 1935-to date | H98LA | U98LA |
| | | H199B | U199B | PACKARD | 1935-56 | 98M | H98M |
| | | | 98M | | 1957-to date | 125H | U122A |
| | 1947-48 | X199B | XU199B | PLYMOUTH | 1939-45 | H199B | U199B |
| | | | 98M | | 1946 | 125H | 125CN |
| | 1949-55 | X199G | XU199G | | 1947-48 | X199B | XU199B |
| | | | 98M | | 1949-55 | X199G | XU199G |
| | 1956 | X199J | XU199G | | 1956 | X199J | XU199G |
| | 1957-58 | 707K | XU199G | | 1957-58 | 706K | XU199G |
| | 1959-to date | 707K | 759L | | 1959-to date | 706K | U759L |
| STN. WAG. | 1957-to date | 707K | 98M | STN. WAG. | 1957-to date | 706K | 98M |
| EDSEL | 1958 | 127P | 127N | PONTIAC | 1935-to date | H98LA | U98LA |
| | 1959-to date | 127PP | 127NS | RAMBLER | All to 1958 | U122AR | H122FR |
| FALCON | 1960 | 127DP | 127ES | See METROPOLITAN above | 1958-59 | 98M | H98M |
| FORD | 1939-48 | 125H | 125CN | STUDEBAKER | 1937-48 | U122A | U122A |
| | 1949-50 | 125E | 125G | | | X199AR | H122FR |
| | 1951 | 125K | 125M | | | 125H | 125CN |
| | 1952-54 | 127 | 127A | See LARK above | 1949-58 | X199AR | U122A |
| | 1955-58 | 127D | 127E | | | 125H | 125CN |
| | 1959-to date | 127DP | 127ES | | 1959-to date | 125H | U122A |
| FRONTENAC | 1960 | 127MP | 127KS | VALIANT | 1960 | 706K | 759L |
| HUDSON | All | 98M | H98M | VOLKSWAGEN | All Pass. to 1959 | H62VB | H62VB |
| IMPERIAL | See Chrysler | | | | Passenger 1960 | U62VN | U62VN |
| INT'L HARVESTER TRUCKS | All | 98DB | | | All Comm. | W62VE | W62VE |
| | | | | WILLYS | All | U122A | U122AR |
| | | | | | | 98M | H98M |

FOR HARDWARE ITEMS

| SYMBOL | DESCRIPTION |
|--------|-------------------------------------|
| 3 | Polished Brass |
| T3 | Two Tone Brass — Polished & Dull |
| 4 | Dull Brass |
| 10 | Dull Bronze |
| 14 | Polished Nickle |
| 26 | Polished Chrome |
| 26D | Dull Chrome |
| 27 | Satin Aluminum |

FINISHES**FOR DOOR CLOSERS and BRACKETS**

| SYMBOL | DESCRIPTION |
|--------|----------------|
| SS | Satin Aluminum |
| BZ | Dull Bronze |

To specify finish, mark symbol after item number. i.e. To order No. 212 K knobs in Polished Brass finish, specify; 212 K-3. Where finish is not specified, the usual or popular finish will be supplied, which in most cases is dull brass (4).

SALES POLICY**PAYMENTS:**

1% Cash Discount allowed on payments made within ten days of invoice date. Net amount of invoice is due and payable within thirty (30) days of date of invoice, F.O.B. Factory, Montreal, Que.

We will ship merchandise on above terms to customers in Canada who are suitably listed with mercantile agencies, or who can supply satisfactory business references. Shipments otherwise will be made on C.O.D. terms, which require a deposit of 20% in advance.

SHIPMENTS:

All freight, express, truck, and parcel shipments are at customers' risk. We reserve the right to make partial shipments whenever available stock does not permit complete shipment, unless otherwise specified on order.

SHIPPING DATA:

All keys packed 3 dozen to each box.

Approximate shipping weights as follows:

| | CONTENTS STANDARD | GROSS WEIGHT | NET WEIGHT | WEIGHT OF KEYS |
|----------------------------------|----------------------|-----------------|---------------|-------------------|
| House Type Key Blanks | 10 gross | 34 lbs. | 33 lbs. | 3.3 lbs./gross |
| Automobile Type Key Blanks | 10 " | 24 " | 23 " | 2.3 " |
| Flat Steel Key Blanks | 10 " | 22 " | 21 " | 2.1 " |
| Bit Key Blanks | 3 " | 11 " | 10 " | 3.3 " |

CLAIMS:

Claims for errors must be made within five (5) days of receipt of merchandise.

Claims for errors or shortages in individual 3 dozen boxes must be accompanied by packers identification ticket found in each box.

CANCELLATIONS:

Orders for regular stock goods accepted for prompt shipment only. Orders for special goods may be cancelled only upon payment of charges covering expenses involved.


RETURNED GOODS:

No merchandise may be returned for credit or replacement unless previously authorized by us. We guarantee to repair or replace any merchandise found to be defective in material or workmanship, provided same has not been in use over (30) thirty days, and provided we find upon examination that the merchandise has not been repaired or put to any unusual use or abuse.

PRICES:

All prices and quotations are subject to change without notice.

DOMINION LOCK COMPANY LIMITED
7301 DECARIE BOULEVARD • MONTREAL, CANADA



LOCK & KEY SUPPLY CO. LTD.,
4050 CHARLEROI ST.
MONTREAL NORTH, QUE.
Phone: DANIEL 1-2522

DOMINION LOCK COMPANY LIMITED